



制鞋面部设备专家/各种制鞋工艺解决

shoes Upper Machinery Expert
Shoemaking Problem Solutions



www.jingnengpai.com

JINGNENG TECHNOLOGY

THE EXPERTS OF
PRODUCTION MODULAR



东莞市精能机械科技有限公司，专业生产鞋厂、手袋厂、箱包皮具厂、家具厂、沙发皮具厂等缝纫机，缝纫设备制造厂。

Dongguan Jingneng Machinery Technology Co., Ltd, professionally make the sewing machines for shoe factory, habndbag factory, bag&leather factory, furniture factory, sofa&leather factory etc, sewing equipment manufactory .



Taiwan Brand Registration No.
01287116

本厂始建于1996年，专业生产“精能”牌工业缝纫机，东莞工厂成立于2000年，重庆工厂成立于2009年。我们进口数控车床、铣床加工机器，聘请经验丰富的工程师指导工作，优良的机器和经验丰富的技术人员确保质量。本厂设有机加车间、喷漆车间、排版室。现有员工110余人。

Our factory was found in 1996, professionally produce "JING NENG" brand industrial sewing machine, Dongguan factory was found in 2000, Chongqing factory found in 2009. We import CNC lathes, milling machine to process machines, hired experienced engineer to coach work, good machines and experienced technician insure the quality. Our factory consists of machine work shop, painting work shop, composing room. More than 110 staffs.



公司位于东莞市厚街镇，代理遍布全国，包括山东青岛即墨，河北三泰，浙江温州，福建晋江，四川成都，重庆，广东广州，惠州等。从2002年公司开始开拓海外市场，亚洲市场：印度，巴基斯坦，越南，马来西亚等。欧洲市场：德国，挪威，俄罗斯，乌克兰等。中东：伊朗，埃及。南美市场：巴西，智利，阿根廷，秘鲁等。非洲市场：南非，尼日利亚等。我们在一些国家有代理，我们也在世界各地寻找更多的代理！

Company is located in Houjie town of Dongguan City, we have agents all over China, including Shandong, Qingdao Jimo, Hebei Santai, Zhejiang Wenzhou, Fujian Jinjiang, Sichuan Chengdu, Chongqing, Guangdong Guangzhou, Huizhou etc.. From 2002 the company began to open up overseas markets, Asian markets: India, Pakistan, Vietnam, Malaysia, etc.



European markets: Germany, Norway, Russia, Ukraine etc. Middle East : Iran, Egypt. The South American markets: Brazil, Chile, Argentina, Peru etc. Africa markets: South Africa, Nigeria etc. We have some agents in some countries, we are also looking for more agents all over the world!

我们拥有一支高效的售后服务团队，力求在第一时间帮助客户解决问题，并且每季度都会准时将机器送到客户工厂，帮助客户维护机器，确保客户的生产。

We have a high-efficiency team for after-sale service. We try to help our customers to solve the problem at the first time. We also send machines to customers' factory every season on time to help them maintain the machines, which can confirm the customers' production.

"JINGNENG" is the best choice for you!
“精能”是您最好的选择！

精能荣耀 JingNeng Honor



展会 EXHIBITION

CHINA 中国



INDIA 印度



BANGLADESH 孟加拉



VIETNAM 越南





JN 600



JN 820



JN 335M



JN 8820BTF



JN 810



JN 335 8BL



JN 2010E



JN 8810BTF

高头车
HIGH HEAD
MACHINE

拉帮机和包边车
OVERSEAMING MACHINE &
CYLINDER BED BINDING
MACHINE

电脑花样缝纫机
COMPUTER PATTERN
SEWING MACHINE

第四代电脑罗拉车
THE FOURTH GENERATION
OF FULLY AUTOMATIC
ALL-IN-ONE ROLLER CAR

1999

2003

2007

2015

2001

2005

2008


EDGE TRIMMING
MACHINE
修边机

THE FIRST GENERATION
OF ORDINARY ROLLER CARS
第一代罗拉车

AUTOMATIC REVERSE
SEWING ROLLER
自动倒针罗拉车



JN 25



JN 8810



JN 8710



JN 902



JN 8820



JN 8720



JN 903

精能简史

JingNeng History Of Development



JN 569



JN 567

STEPPER MOTOR 360
DEGREE ROTATING COMPUTER
SEWING MACHINE
步进马达360度旋转
电脑罗拉车



JN 600TF

AUTOMATIC TRIMMING
OVERSEWING MACHINE
自动修边包缝机



SPECIAL MACHINE FOR
WATERPROOF SHOES

HOT GAS SEAL
PRESSURE WATERPROOF
MACHINE
热压密封条机



THE FIFTH GENERATION
COMPUTER ROLLER
MACHINE
第五代电脑罗拉车

2017

2020

2022

2024

2016

2019

2021

2023

小嘴高柱车
SMALL MOUTH
HIGH POST BED
MACHINE



内线机系列
INTERNAL LINE
MACHINE SERIES



JN 167



JN 168

步进式单针缝纫机
STEPPER FEED
SINGLE NEEDLE SEWING
MACHINE



JN 2591BTF

步进马达360度旋转电脑罗拉车
STEPPER MOTOR 360 DEGREE
ROTATING COMPUTER
SEWING MACHINE



JN 568



JN 566

细节决定成败，理念铸就未来

DETAILS DETERMINE SUCCESS OR FAILURE, AND IDEAS CAST THE FUTURE

JN-566

STEPPER 360 DEGREE SINGLE COMPUTER SEWING MACHINE 360度旋转步进电脑罗拉单针车



Intelligent touch screen display
智能触摸显示屏




Upper feeding motor
上送料电机



Lower feeding motor
下送料电机



High: 28mm
嘴巴高度: 28mm



Width: 49mm
嘴巴宽度: 49mm



Reproduction diagram
效果图



产品功能特点:

1. 此机配备智能屏触显示屏，操作更直观简单，所有功能可以一键点击完成，方便快捷，针距和速度可以自由调节
2. 上下送料机构采用直驱电机驱动，减少传统机械结构，故障率更低，更加稳定方便，并且省去后期更换培林轴承的烦恼，线路更加美观，倒针完美重合，上下送料电机速度可独立调节，车缝双层材料时可完全重合；
3. 此机型采用360度水平旋转托臂设计，臂长230mm，可向任意方向车缝，适用于短靴，雪地靴，注塑产品，各类皮具制品等特殊角度车缝，达到更加完美的效果
4. 可多段式编程和花样缝，机头平稳，运行震动小，无极变速，员工更加容易操控，生手无需培训即可上岗。
5. 自动倒针，抬压脚，自动定位，自动倾斜断电设定，让机器更加智能。

1. This machine is equipped with a smart touch screen display, which makes the operation more intuitive and simple. All functions can be completed on the screen, which is convenient and fast. The stitch length and speed can be adjusted freely.
2. The upper and lower feeding mechanism is driven by a direct drive motor, which reduces the traditional mechanical structure, has a lower failure rate, is more stable and convenient, and saves the trouble of replacing the bearings later. The line is more beautiful, the back stitching overlap perfectly, and the speed of the upper and lower feeding motors can be independent adjustable, it can be completely overlapped when sewing double-layer materials;
3. This machine adopts a 360-degree horizontal rotating support arm design, arm length of 230mm. It can sew in any direction. It is suitable for sewing at special angles such as short boots, snow boots, injection molded products, various leather products, etc. to achieve more perfect results.
4. Can be programmed in multiple stages and pattern sewing, the machine head is stable, the operation vibration is small, and the stepless speed change makes it easier for employees to control, and novices can work without training.
5. Automatic needle backing, presser foot lifting, automatic positioning, automatic tilt and power-off settings make the machine more intelligent.

电压	功率	转速	抬压脚高度	线迹长度	针杆行程	针	自动抬压脚	自动剪线	自动倒针	整机重量	整机尺寸
Voltage	Power	Speed (s.p.m)	Lift of the foot presser	Stitch Length	Needle Stroke	Needle	Automatic presser foot lifting	Automatic under trimming	Automatic back tracking	Net weight	Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	有 (Yes)	无 (No)	有 (Yes)	98KG	120*60*125CM

JN-565

EXTENDED HEIGHT STEPPER MOTOR SEWING MACHINE 加长加高步进电机罗拉单针车



Intelligent touch screen display
智能触摸显示屏



Upper feeding motor
上送料电机




Lower feed+swing arm motor
下送料电机+摆臂电机



Post bed size: 57mm, 67mm
嘴巴尺寸: 57mm, 67mm



Reproduction diagram
效果图




Reproduction diagram
效果图

产品功能特点:

1. 本机采用大尺寸触摸显示屏, 操作更直观简单, 所有功能可以一键完成, 方便快捷, 针距和速度可以自由调节。
2. 采用直驱式步进马达送料, 减少传统机械结构, 故障率更低, 更加稳定方便, 针距距离只需要在显示屏上调节。
3. 线路更加美观, 倒针完美重合, 外弯, 内弯, 针距完全一样, 上下送料速度可分开调节, 让材料完全重合。
4. 可多段式编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动倒针, 自动抬压脚, 自动剪线, 自动定位, 自动倾斜断电设定, 让机器更加智能。
6. 内置多种语言, 如中文、越南文等, 配置双色灯, 亮度自动调节。

1. This machine adopts a large-size touch screen, which makes the operation more intuitive and simple. All functions can be completed with one click and the stitch length and speed can be adjusted freely.
2. It uses a direct-drive stepper motor to feed, reducing the traditional mechanical structure, with a lower failure rate, more stable and convenient, and stitch distance only needs to be adjusted on the display screen.
3. The line is more beautiful, the backstitching perfectly overlaps, the outer bend, the inner bend, the stitch length is exactly the same, and the upper and lower feeding speeds can be adjusted separately to allow the material to completely overlap.
4. It is capable of multi-stage programming and pattern sewing, the machine head is stable, the operation vibration is small, and within the specified speed range, the speed can be automatically adjusted is easier for employees to control, and novices can work without training.
5. Automatic back stitching, automatic presser foot lifting, automatic thread trimming automatic positioning, automatic tilting, and power-off settings make the machine more intelligent.
6. Built-in multiple languages, such as Chinese, Vietnamese, etc., equipped with dual-color lights and automatic brightness adjustment.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	有 (Yes)	有 (Yes)	有 (Yes)	113KG	120*55*170CM

JN-568

STEPPER 360 DEGREE SINGLE COMPUTER SEWING MACHINE 360度旋转步进电脑罗拉单针车



Intelligent touch screen display
智能触摸显示屏



Upper feeding motor
上送料电机



Lower feeding motor
下送料电机



Automatic presser foot
lift structure
自动抬压脚结构



Post bed size: 55mm, 55mm
嘴巴尺寸: 55mm, 55mm



Reproduction diagram
效果图

产品功能特点:

1. 此机配备智能屏触显示屏, 操作更直观简单, 所有功能可以一键点击完成, 方便快捷, 针距和速度可以自由调节。
2. 上下送料机构采用直驱电机驱动, 减少传统机械结构, 故障率更低, 更加稳定方便, 并且省去后期更换培林轴承的烦恼, 线路更加美观, 倒针完美重合, 上下送料电机速度可独立调节, 车缝双层材料时可完全重合。
3. 此机型采用360度水平旋转托臂设计, 臂长390mm, 高330mm, 可向任意方向车缝, 适用于长筒马靴, 雪地靴, 箱包手袋, 注塑产品, 各类皮具制品等特殊角度车缝, 达到更加完美的效果。
4. 可多段式编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动倒针, 抬压脚, 自动定位, 自动倾斜断电设定, 让机器更加智能。

1. This machine is equipped with a smart touch screen display, which makes the operation more intuitive and simple. All functions can be completed on the screen, which is convenient and fast. The stitch length and speed can be adjusted freely.
2. The upper and lower feeding mechanism is driven by a direct drive motor, which reduces the traditional mechanical structure, has a lower failure rate, is more stable and convenient, and saves the trouble of replacing the bearings later. The line is more beautiful, the back stitching overlap perfectly, and the speed of the upper and lower double-layer materials;
3. This machine adopts a 360-degree horizontal rotating support arm design, arm length of 230mm, high 330mm. It can sew in any direction. It is suitable for sewing at special angles such as long riding boots, snow boots, luggage and handbags, injection molded products, leather products, etc. to achieve more perfect results.
4. Can be programmed in multiple stages and pattern sewing, the machine head is stable, the operation vibration is small, and the stepless speed change makes it easier for employees to control, and novices can work without training.
5. Automatic needle backing, presser foot lifting, automatic positioning, automatic tilt and power-off settings make the machine more intelligent.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	有 (Yes)	无 (No)	有 (Yes)	123KG	120*55*170CM

JN-567

STEPPER 360 DEGREE SINGLE COMPUTER SEWING MACHINE 360度旋转步进电脑罗拉单针车



Intelligent touch screen display
智能触摸屏显示



Upper feeding motor
上送料电机



Lower feed+swing arm motor
下送料电机+摆臂电机



Size: 41mm, 32mm
嘴口尺寸: 41mm, 32mm



Needle rod stroke motor
针杆行程电机



Reproduction diagram
效果图

产品功能特点:

1. 此机配备智能屏触显示屏, 操作更直观简单, 所有功能可以一键点击完成, 方便快捷, 针距和速度可以自由调节。
2. 上下送料机构采用直驱电机驱动, 减少传统机械结构, 故障率更低, 更加稳定方便, 并且省去后期更换培林轴承的烦恼, 线路更加美观, 倒针完美重合, 上下送料电机速度可独立调节, 车缝双层材料时可完全重合。
3. 此机型采用360度水平旋转托臂设计, 臂长230mm, 高330mm, 可向任意方向车缝, 适用于长筒马靴, 雪地靴, 注塑产品, 各类皮具制品等特殊角度车缝, 达到更加完美的效果。
4. 可多段式编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动倒针, 抬压脚, 自动定位, 自动倾斜断电设定, 让机器更加智能。

1. This machine is equipped with a smart touch screen display, which makes the operation more intuitive and simple. All functions can be completed on the screen, which is convenient and fast. The stitch length and speed can be adjusted freely.
2. The upper and lower feeding mechanism is driven by a direct drive motor, which reduces the traditional mechanical structure, has a lower failure rate, is more stable and convenient, and saves the trouble of replacing the bearings later. The line is more beautiful, the back stitching overlap perfectly, and the speed of the upper and lower double-layer materials;
3. This machine adopts a 360-degree horizontal rotating support arm design, arm length of 230mm, high 330mm. It can sew in any direction. It is suitable for sewing at special angles such as long riding boots, snow boots, injection molded products, various leather products, etc. to achieve more perfect results.
4. Can be programmed in multiple stages and pattern sewing, the machine head is stable, the operation vibration is small, and the stepless speed change makes it easier for employees to control, and novices can work without training.
5. Automatic needle backing, presser foot lifting, automatic positioning, automatic tilt and power-off settings make the machine more intelligent.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	有 (Yes)	无 (No)	有 (Yes)	113KG	120*55*170CM

JN-569

STEPPER 360 DEGREE SINGLE COMPUTER SEWING MACHINE 360度旋转步进电脑罗拉单针车



Intelligent touch screen display
智能触摸屏显示



Upper feeding motor
上送料电机



Lower feeding motor
下送料电机



Automatic presser foot
lift structure
自动抬压脚结构



Post bed size: 55mm, 55mm
嘴口尺寸: 55mm, 55mm



Reproduction diagram
效果图

产品功能特点:

1. 此机配备智能屏触显示屏, 操作更直观简单, 所有功能可以一键点击完成, 方便快捷, 针距和速度可以自由调节。
2. 上下送料机构采用直驱电机驱动, 减少传统机械结构, 故障率更低, 更加稳定方便, 并且省去后期更换培林轴承的烦恼, 线路更加美观, 倒针完美重合, 上下送料电机速度可独立调节, 车缝双层材料时可完全重合。
3. 此机型采用360度水平旋转托臂设计, 臂长390mm, 高330mm, 可向任意方向车缝, 适用于长筒马靴, 雪地靴, 箱包手袋, 注塑产品, 各类皮具制品等特殊角度车缝, 达到更加完美的效果。
4. 可多段式编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动倒针, 抬压脚, 自动定位, 自动倾斜断电设定, 让机器更加智能。

1. This machine is equipped with a smart touch screen display, which makes the operation more intuitive and simple. All functions can be completed on the screen, which is convenient and fast. The stitch length and speed can be adjusted freely.
2. The upper and lower feeding mechanism is driven by a direct drive motor, which reduces the traditional mechanical structure, has a lower failure rate, is more stable and convenient, and saves the trouble of replacing the bearings later. The line is more beautiful, the back stitching overlap perfectly, and the speed of the upper and lower double-layer materials;
3. This machine adopts a 360-degree horizontal rotating support arm design, arm length of 230mm, high 330mm. It can sew in any direction. It is suitable for sewing at special angles such as long riding boots, snow boots, luggage and handbags, injection molded products, leather products, etc. to achieve more perfect results.
4. Can be programmed in multiple stages and pattern sewing, the machine head is stable, the operation vibration is small, and the stepless speed change makes it easier for employees to control, and novices can work without training.
5. Automatic needle backing, presser foot lifting, automatic positioning, automatic tilt and power-off settings make the machine more intelligent.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	有 (Yes)	无 (No)	有 (Yes)	123KG	120*55*170CM

JN-598

STEPPER 180 DEGREE SEWING ARM COMPUTER MACHINE 180度自动摆臂步进电脑罗拉车




Intelligent touch screen display
智能触摸显示屏




Upper feeding motor
上送料电机



Lower feed+swing arm motor
下送料电机+摆臂电机



Size: 41mm, 32mm
嘴巴尺寸: 41mm, 32mm



Needle rod stroke motor
针杆行程电机



Reproduction diagram
效果图

产品功能特点:

1. 此机配备智能屏显示, 操作更直观简单, 所有功能可以一键点击完成, 方便快捷, 针距和速度可以自由调节
2. 上下送料机构采用直驱电机驱动, 减少传统机械结构, 故障率更低, 更加稳定方便, 并且省去后期更换轴承的烦恼, 线路更加美观, 倒针完美重合, 上下送料电机速度可独立调节, 车缝双层材料时可完全重合;
3. 此机采用180度U形自动前后摆臂设计, 增加了独立控制摆臂电机, 可向前后摆动车缝, 适用于箱包、手袋、各类皮具制品特殊角度之车缝, 达到更加完美的效果。
4. 可多段式编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动倒针, 抬压脚, 自动定位, 自动倾斜断电设定, 让机器更加智能。

1. This machine is equipped with a smart touch screen display, which makes the operation more intuitive and simple. All functions can be completed on the screen, which is convenient and fast. The stitch length and speed can be adjusted freely.
2. The upper and lower feeding mechanism is driven by a direct drive motor, which reduces the traditional mechanical structure, has a lower failure rate, is more stable and convenient, and saves the trouble of replacing the bearings later. The line is more beautiful, the back stitching overlap perfectly, and the speed of the upper and lower feeding motors can be independent adjustable, it can be completely overlapped when sewing double-layer materials;
3. This machine adopts a 180-degree U-shaped automatic front and rear swing arm design, and adds an independent control swing arm motor, which can swing forward and backward for sewing. It is suitable for sewing bags, handbags, and various leather products at special angles to achieve more perfect results.
4. Can be programmed in multiple stages and pattern sewing, the machine head is stable, the operation vibration is small, and the stepless speed change makes it easier for employees to control, and novices can work without training.
5. Automatic needle backing, presser foot lifting, automatic positioning, automatic tilt and settings make the machine more intelligent.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	1800	12MM	0-6MM	40MM	DP*5	有 (Yes)	无 (No)	有 (Yes)	105KG	100*58*128CM

JN-2593BTF

AUTOMATIC TRIMMING SINGLE COMPUTER SEWING MACHINE 自动修边步进罗拉单针车



Intelligent touch screen display
智能触摸显示屏




Upper feeding motor
上送料电机



Lower feeding motor
下送料电机



Automatic presser foot
lift structure
自动抬压脚结构



Post bed size: 55mm, 55mm
嘴巴尺寸: 55mm, 55mm



Reproduction diagram
效果图

产品功能特点:

1. 本机采用大尺寸触摸显示屏, 操作更直观简单, 所有功能可以一键完成, 方便快捷, 针距和速度可以自由调节。
2. 采用直驱式步进马达送料, 减少传统机械结构, 故障率更低, 更加稳定方便, 针距距离只需要在显示屏上调节。
3. 线路更加美观, 倒针完美重合, 外弯, 内弯, 针距完全一样, 上下送料速度可分开调节, 让材料完全重合。
4. 可多段式编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动修边, 自动倒针, 自动抬压脚, 自动剪线, 自动定位, 自动倾斜断电设定, 车缝加修边, 节省工序, 提高效率, 让机器更加智能。

1. This machine adopts a large-size touch screen, which makes the operation more intuitive and simple. All functions can be completed with one click and the stitch length and speed can be adjusted freely.
2. It uses a direct-drive stepper motor to feed, reducing the traditional mechanical structure, with a lower failure rate, more stable and convenient, and stitch distance only needs to be adjusted on the display screen.
3. The line is more beautiful, the backstitch perfectly overlaps, the outer bend, the inner bend, the stitch length is exactly the same, and the upper and lower feeding speeds can be adjusted separately to allow the material to completely overlap.
4. It is capable of multi-stage programming and pattern sewing, the machine head is stable, the operation vibration is small, and within the specified speed range, the speed can be automatically adjusted is easier for employees to control, and novices can work without training.
5. Automatic trimming, automatic back stitching, automatic presser foot lifting, automatic thread trimming automatic positioning, automatic tilting, and power-off settings, sewing and trimming work together to save processes and improve efficiency make the machine more intelligent.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	有 (Yes)	有 (Yes)	有 (Yes)	95KG	120*55*130CM

JN-2591BTF

STEPPER FEED SINGLE NEEDLE SEWING MACHINE 步进款单针罗拉车



Intelligent touch screen display
智能触摸显示屏



Upper feeding motor
上送料电机




Lower feeding motor
下送料电机



Post bed size: 57mm, 67mm
嘴巴尺寸: 57mm, 67mm



Reproduction diagram
效果图



Special traces
特殊线迹

产品功能特点:

1. 本机采用大尺寸触摸显示屏, 操作更直观简单, 所有功能可以一键完成, 方便快捷, 针距和速度可以自由调节。
2. 采用直驱式步进马达送料, 减少传统机械结构, 故障率更低, 更加稳定方便, 针距距离只需要在显示屏上调节。
3. 线路更加美观, 倒针完美重合, 外弯, 内弯, 针距完全一样, 上下送料速度可分开调节, 让材料完全重合。
4. 可多段式编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动倒针, 自动抬压脚, 自动剪线, 自动定位, 自动倾斜断电设定, 让机器更加智能。
6. 内置多种语言, 如中文、越南文等, 配置双色灯, 亮度自动调节。

1. This machine adopts a large-size touch screen, which makes the operation more intuitive and simple. All functions can be completed with one click and the stitch length and speed can be adjusted freely.
2. It uses a direct-drive stepper motor to feed, reducing the traditional mechanical structure, with a lower failure rate, more stable and convenient, and stitch distance only needs to be adjusted on the display screen.
3. The line is more beautiful, the backstitch perfectly overlaps, the outer bend, the inner bend, the stitch length is exactly the same, and the upper and lower feeding speeds can be adjusted separately to allow the material to completely overlap.
4. It is capable of multi-stage programming and pattern sewing, the machine head is stable, the operation vibration is small, and within the specified speed range, the speed can be automatically adjusted is easier for employees to control, and novices can work without training.
5. Automatic back stitching, automatic presser foot lifting, automatic thread trimming automatic positioning, automatic tilting, and power-off settings make the machine more intelligent.
6. Built-in multiple languages, such as Chinese, Vietnamese, etc., equipped with dual-color lights and automatic brightness adjustment.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	有 (Yes)	有 (Yes)	有 (Yes)	93KG	120*55*149CM

JN-2592BTF

STEPPER FEED DOUBLE NEEDLE SEWING MACHINE 步进款双针罗拉车



Intelligent touch screen display
智能触摸显示屏



Upper feeding motor
上送料电机




Lower feeding motor
下送料电机



Post bed size: 57mm, 67mm
嘴巴尺寸: 57mm, 67mm



Reproduction diagram
效果图



Special traces
特殊线迹

产品功能特点:

1. 本机采用大尺寸触摸显示屏, 操作更直观简单, 所有功能可以一键完成, 方便快捷, 针距和速度可以自由调节。
2. 采用直驱式步进马达送料, 减少传统机械结构, 故障率更低, 更加稳定方便, 针距距离只需要在显示屏上调节。
3. 线路更加美观, 倒针完美重合, 外弯, 内弯, 针距完全一样, 上下送料速度可分开调节, 让材料完全重合。
4. 可多段式编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动倒针, 自动抬压脚, 自动剪线, 自动定位, 自动倾斜断电设定, 让机器更加智能。
6. 内置多种语言, 如中文、越南文等, 配置双色灯, 亮度自动调节。

1. This machine adopts a large-size touch screen, which makes the operation more intuitive and simple. All functions can be completed with one click and the stitch length and speed can be adjusted freely.
2. It uses a direct-drive stepper motor to feed, reducing the traditional mechanical structure, with a lower failure rate, more stable and convenient, and stitch distance only needs to be adjusted on the display screen.
3. The line is more beautiful, the backstitch perfectly overlaps, the outer bend, the inner bend, the stitch length is exactly the same, and the upper and lower feeding speeds can be adjusted separately to allow the material to completely overlap.
4. It is capable of multi-stage programming and pattern sewing, the machine head is stable, the operation vibration is small, and within the specified speed range, the speed can be automatically adjusted is easier for employees to control, and novices can work without training.
5. Automatic back stitching, automatic presser foot lifting, automatic thread trimming automatic positioning, automatic tilting, and power-off settings make the machine more intelligent.
6. Built-in multiple languages, such as Chinese, Vietnamese, etc., equipped with dual-color lights and automatic brightness adjustment.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	有 (Yes)	有 (Yes)	有 (Yes)	103KG	120*55*149CM

JN5-1

BUTTON TYPE STEPPER FEED SINGLE NEEDLE SEWING MACHINE 按键款步进款单针罗拉车



Intelligent screen display
智能显示屏



Upper feeding motor
上送料电机




Lower feeding motor
下送料电机



Post bed size: 57mm, 67mm
嘴巴尺寸: 57mm, 67mm



Reproduction diagram
效果图



Special traces
特殊线迹

产品功能特点:

1. 本机采用按键显示屏, 所有功能可以一键点击完成, 方便快捷, 针距和速度可以自由调节。
2. 采用直驱式步进马达送料, 减少传统机械结构, 故障率更低, 更加稳定方便, 针距距离只需要在显示屏上调节。
3. 线路更加美观, 倒针完美重合, 外弯, 内弯, 针距完全一样, 上下送料速度可分开调节, 让材料完全重合。
4. 可多段式编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动倒针, 自动剪线, 自动定位, 自动倾斜断电设定, 让机器更加智能。
6. 内置多种语言, 如中文、越南文等, 配置双色灯, 亮度自动调节。

1. This machine uses a button display screen, all functions can be completed with one click, which is convenient and fast, and the stitch length and speed can be adjusted freely.
2. It uses a direct-drive stepper motor to feed, reducing the traditional mechanical structure, with a lower failure rate, more stable and convenient, and stitch distance only needs to be adjusted on the display screen.
3. The line is more beautiful, the backstitch perfectly overlaps, the outer bend, the inner bend, the stitch length is exactly the same, and the upper and lower feeding speeds can be adjusted separately to allow the material to completely overlap.
4. It can be multi-stage programmed and pattern sewn, the machine head is stable, the operation vibration is small, the speed is infinitely variable, and the employees are easier to operate, and novices can take up their posts without training.
5. Automatic backstitch, automatic thread trimming, automatic positioning, automatic tilt power-off settings make the machine more intelligent.
6. Built-in multiple languages, such as Chinese, Vietnamese, etc., equipped with dual-color lights and automatic brightness adjustment.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	无 (No)	有 (Yes)	有 (Yes)	90KG	120*55*130CM

JN5-2

BUTTON TYPE STEPPER FEED DOUBLE NEEDLE SEWING MACHINE 按键款步进款双针罗拉车



Intelligent touch screen display
智能触摸屏



Upper feeding motor
上送料电机




Lower feeding motor
下送料电机



Post bed size: 57mm, 67mm
嘴巴尺寸: 57mm, 67mm



Reproduction diagram
效果图



Special traces
特殊线迹

产品功能特点:

1. 本机采用按键显示屏, 所有功能可以一键点击完成, 方便快捷, 针距和速度可以自由调节。
2. 采用直驱式步进马达送料, 减少传统机械结构, 故障率更低, 更加稳定方便, 针距距离只需要在显示屏上调节。
3. 线路更加美观, 倒针完美重合, 外弯, 内弯, 针距完全一样, 上下送料速度可分开调节, 让材料完全重合。
4. 可多段式编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动倒针, 自动剪线, 自动定位, 自动倾斜断电设定, 让机器更加智能。
6. 内置多种语言, 如中文、越南文等, 配置双色灯, 亮度自动调节。

1. This machine uses a button display screen, all functions can be completed with one click, which is convenient and fast, and the stitch length and speed can be adjusted freely.
2. It uses a direct-drive stepper motor to feed, reducing the traditional mechanical structure, with a lower failure rate, more stable and convenient, and stitch distance only needs to be adjusted on the display screen.
3. The line is more beautiful, the backstitch perfectly overlaps, the outer bend, the inner bend, the stitch length is exactly the same, and the upper and lower feeding speeds can be adjusted separately to allow the material to completely overlap.
4. It can be multi-stage programmed and pattern sewn, the machine head is stable, the operation vibration is small, the speed is infinitely variable, and the employees are easier to operate, and novices can take up their posts without training.
5. Automatic backstitch, automatic thread trimming, automatic positioning, automatic tilt power-off settings make the machine more intelligent.
6. Built-in multiple languages, such as Chinese, Vietnamese, etc., equipped with dual-color lights and automatic brightness adjustment.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	无 (No)	有 (Yes)	有 (Yes)	100KG	120*55*130CM

JN6-1

BUTTON TYPE STEPPER FEED SINGLE NEEDLE SEWING MACHINE 按键款步进款单针罗拉车



Intelligent screen display
智能显示屏



Upper feeding motor
上送料电机




Lower feeding motor
下送料电机



Post bed size: 57mm, 67mm
嘴巴尺寸: 57mm, 67mm



Reproduction diagram
效果图




Special traces
特殊线迹

产品功能特点:

1. 本机采用按键显示屏, 所有功能可以一键点击完成, 方便快捷, 针距和速度可以自由调节。
2. 采用直驱式步进马达送料, 减少传统机械结构, 故障率更低, 更加稳定方便, 针距距离只需要在显示屏上调节。
3. 线路更加美观, 倒针完美重合, 外弯, 内弯, 针距完全一样, 上下送料速度可分开调节, 让材料完全重合。
4. 可多段式编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动抬压脚, 自动倒针, 自动剪线, 自动定位, 自动倾斜断电设定, 让机器更加智能。

1. This machine uses a button display screen, all functions can be completed with one click, which is convenient and fast, and the stitch length and speed can be adjusted freely.
2. It uses a direct-drive stepper motor to feed, reducing the traditional mechanical structure, with a lower failure rate, more stable and convenient, and stitch distance only needs to be adjusted on the display screen.
3. The line is more beautiful, the backstitch perfectly overlaps, the outer bend, the inner bend, the stitch length is exactly the same, and the upper and lower feeding speeds can be adjusted separately to allow the material to completely overlap.
4. It can be multi-stage programmed and pattern sewn, the machine head is stable, the operation vibration is small, the speed is infinitely variable, and the employees are easier to operate, and novices can take up their posts without training.
5. Automatic presser foot lifting, automatic back stitching, automatic thread trimming automatic positioning, automatic tilting, and power-off settings make the machine more intelligent.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	有 (Yes)	有 (Yes)	有 (Yes)	90KG	120*55*130CM

JN6-2

BUTTON TYPE STEPPER FEED DOUBLE NEEDLE SEWING MACHINE 按键款步进款双针罗拉车



Intelligent touch screen display
智能触摸显示屏



Upper feeding motor
上送料电机




Lower feeding motor
下送料电机



Post bed size: 57mm, 67mm
嘴巴尺寸: 57mm, 67mm



Reproduction diagram
效果图



Special traces
特殊线迹

产品功能特点:

1. 本机采用按键显示屏, 所有功能可以一键点击完成, 方便快捷, 针距和速度可以自由调节。
2. 采用直驱式步进马达送料, 减少传统机械结构, 故障率更低, 更加稳定方便, 针距距离只需要在显示屏上调节。
3. 线路更加美观, 倒针完美重合, 外弯, 内弯, 针距完全一样, 上下送料速度可分开调节, 让材料完全重合。
4. 可多段式编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动抬压脚, 自动倒针, 自动剪线, 自动定位, 自动倾斜断电设定, 让机器更加智能。

1. This machine uses a button display screen, all functions can be completed with one click, which is convenient and fast, and the stitch length and speed can be adjusted freely.
2. It uses a direct-drive stepper motor to feed, reducing the traditional mechanical structure, with a lower failure rate, more stable and convenient, and stitch distance only needs to be adjusted on the display screen.
3. The line is more beautiful, the backstitch perfectly overlaps, the outer bend, the inner bend, the stitch length is exactly the same, and the upper and lower feeding speeds can be adjusted separately to allow the material to completely overlap.
4. It can be multi-stage programmed and pattern sewn, the machine head is stable, the operation vibration is small, the speed is infinitely variable, and the employees are easier to operate, and novices can take up their posts without training.
5. Automatic presser foot lifting, automatic back stitching, automatic thread trimming automatic positioning, automatic tilting, and power-off settings make the machine more intelligent.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	有 (Yes)	有 (Yes)	有 (Yes)	100KG	120*55*130CM

JN7-1

STEPPER MOTOR SINGLE NEEDLE COMPUTER SEWING MACHINE 步进款单针罗拉车



Intelligent touch screen display
智能触摸显示屏



Upper feeding motor
上送料电机




Lower feeding motor
下送料电机



Post bed size: 57mm, 67mm
嘴巴尺寸: 57mm, 67mm



Reproduction diagram
效果图



Special traces
特殊线迹

产品功能特点:

1. 本机采用大尺寸触摸显示屏, 操作更直观简单, 所有功能可以一键完成, 方便快捷, 针距和速度可以自由调节, 配有进口大釜和进口配件。
2. 采用直驱式步进马达送料, 减少传统机械结构, 故障率更低, 更加稳定方便, 针距距离只需要在显示屏上调节。
3. 线路更加美观, 倒针完美重合, 外弯, 内弯, 针距完全一样, 上下送料速度可分开调节, 让材料完全重合。
4. 可多段式编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动倒针, 自动抬压脚, 自动剪线, 自动定位, 自动倾斜断电设定, 让机器更加智能。
6. 内置多种语言, 如中文、越南文等, 配置双色灯, 亮度自动调节, 主要零件采用进口零件。

1. This machine adopts a large-size touch screen, which makes the operation more intuitive and simple. All functions can be completed with one click and the stitch length and speed can be adjusted freely, equipped with imported hook and imported parts.
2. It uses a direct-drive stepper motor to feed, reducing the traditional mechanical structure, with a lower failure rate, more stable and convenient, and stitch distance only needs to be adjusted on the display screen.
3. The line is more beautiful, the backstitch perfectly overlaps, the outer bend, the inner bend, the stitch length is exactly the same, and the upper and lower feeding speeds can be adjusted separately to allow the material to completely overlap.
4. It is capable of multi-stage programming and pattern sewing, the machine head is stable, the operation vibration is small, and within the specified speed range, the speed can be automatically adjusted is easier for employees to control, and novices can work without training.
5. Automatic back stitching, automatic presser foot lifting, automatic thread trimming automatic positioning, automatic tilting, and power-off settings make the machine more intelligent.
6. It has multiple built-in languages, such as Chinese, Vietnamese, etc. It is equipped with dual-color lights, automatic brightness adjustment, and the main parts are imported.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	有 (Yes)	有 (Yes)	有 (Yes)	93KG	120*55*130CM

JN7-2

STEPPER MOTOR DOUBLE NEEDLE SEWING MACHINE 步进款双针罗拉车



Intelligent touch screen display
智能触摸显示屏



Upper feeding motor
上送料电机




Lower feeding motor
下送料电机



Post bed size: 57mm, 67mm
嘴巴尺寸: 57mm, 67mm



Reproduction diagram
效果图




Special traces
特殊线迹

产品功能特点:

1. 本机采用大尺寸触摸显示屏, 操作更直观简单, 所有功能可以一键完成, 方便快捷, 针距和速度可以自由调节, 配有进口大釜和进口配件。
2. 采用直驱式步进马达送料, 减少传统机械结构, 故障率更低, 更加稳定方便, 针距距离只需要在显示屏上调节。
3. 线路更加美观, 倒针完美重合, 外弯, 内弯, 针距完全一样, 上下送料速度可分开调节, 让材料完全重合。
4. 可多段式编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动倒针, 自动抬压脚, 自动剪线, 自动定位, 自动倾斜断电设定, 让机器更加智能。
6. 内置多种语言, 如中文、越南文等, 配置双色灯, 亮度自动调节, 主要零件采用进口零件。

1. This machine adopts a large-size touch screen, which makes the operation more intuitive and simple. All functions can be completed with one click and the stitch length and speed can be adjusted freely, equipped with imported hook and imported parts.
2. It uses a direct-drive stepper motor to feed, reducing the traditional mechanical structure, with a lower failure rate, more stable and convenient, and stitch distance only needs to be adjusted on the display screen.
3. The line is more beautiful, the backstitch perfectly overlaps, the outer bend, the inner bend, the stitch length is exactly the same, and the upper and lower feeding speeds can be adjusted separately to allow the material to completely overlap.
4. It is capable of multi-stage programming and pattern sewing, the machine head is stable, the operation vibration is small, and within the specified speed range, the speed can be automatically adjusted is easier for employees to control, and novices can work without training.
5. Automatic back stitching, automatic presser foot lifting, automatic thread trimming automatic positioning, automatic tilting, and power-off settings make the machine more intelligent.
6. It has multiple built-in languages, such as Chinese, Vietnamese, etc. It is equipped with dual-color lights, automatic brightness adjustment, and the main parts are imported.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	有 (Yes)	有 (Yes)	有 (Yes)	103KG	120*55*130CM

JN8-1

STEPPER MOTOR SINGLE NEEDLE SEWING MACHINE 步进款单针罗拉车



Intelligent touch screen display
智能触摸显示屏



Upper feeding motor
上送料电机




Lower feeding motor
下送料电机



Post bed size: 57mm, 67mm
嘴巴尺寸: 57mm, 67mm



Reproduction diagram
效果图



Special traces
特殊线迹

产品功能特点:

1. 本机采用大尺寸触摸显示屏, 操作更直观简单, 所有功能可以一键完成, 方便快捷, 针距和速度可以自由调节, 配有进口大釜、进口配件和物联网。
2. 采用直驱式步进马达送料, 减少传统机械结构, 故障率更低, 更加稳定方便, 针距距离只需要在显示屏上调节。
3. 线路更加美观, 倒针完美重合, 外弯, 内弯, 针距完全一样, 上下送料速度可分开调节, 让材料完全重合。
4. 可多段编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动倒针, 自动抬压脚, 自动剪线, 自动定位, 自动倾斜断电设定, 让机器更加智能。
6. 内置多种语言, 如中文、越南文等, 配置双色灯, 亮度自动调节, 主要零件采用进口零件, 可接入物联网, 通过数字化精确掌握机器动态, 提高生产效率。

1. This machine adopts a large-size touch screen, which makes the operation more intuitive and simple. All functions can be completed with one click and the stitch length and speed can be adjusted freely, equipped with imported hook imported parts and internet of things.
2. It uses a direct-drive stepper motor to feed, reducing the traditional mechanical structure, with a lower failure rate, more stable and convenient, and stitch distance only needs to be adjusted on the display screen.
3. The line is more beautiful, the backstitch perfectly overlaps, the outer bend, the inner bend, the stitch length is exactly the same, and the upper and lower feeding speeds can be adjusted separately to allow the material to completely overlap.
4. It is capable of multi-stage programming and pattern sewing, the machine head is stable, the operation vibration is small, and within the specified speed range, the speed can be automatically adjusted is easier for employees to control, and novices can work without training.
5. Automatic back stitching, automatic presser foot lifting, automatic thread trimming automatic positioning, automatic tilting, and power-off settings make the machine more intelligent.
6. It has built-in multiple languages, such as Chinese, Vietnamese, etc. It is equipped with dual-color lights, automatic brightness adjustment, and the main parts are imported parts. It can be connected to the Internet of Things, and the machine dynamics can be accurately grasped through digitalization to improve production efficiency.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	有 (Yes)	有 (Yes)	有 (Yes)	93KG	120*55*130CM

JN8-2

STEPPER MOTOR DOUBLE NEEDLE SEWING MACHINE 步进款双针罗拉车



Intelligent touch screen display
智能触摸显示屏



Upper feeding motor
上送料电机




Lower feeding motor
下送料电机



Post bed size: 57mm, 67mm
嘴巴尺寸: 57mm, 67mm



Reproduction diagram
效果图



Special traces
特殊线迹

产品功能特点:

1. 本机采用大尺寸触摸显示屏, 操作更直观简单, 所有功能可以一键完成, 方便快捷, 针距和速度可以自由调节, 配有进口大釜、进口配件和物联网。
2. 采用直驱式步进马达送料, 减少传统机械结构, 故障率更低, 更加稳定方便, 针距距离只需要在显示屏上调节。
3. 线路更加美观, 倒针完美重合, 外弯, 内弯, 针距完全一样, 上下送料速度可分开调节, 让材料完全重合。
4. 可多段编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动倒针, 自动抬压脚, 自动剪线, 自动定位, 自动倾斜断电设定, 让机器更加智能。
6. 内置多种语言, 如中文、越南文等, 配置双色灯, 亮度自动调节, 主要零件采用进口零件, 可接入物联网, 通过数字化精确掌握机器动态, 提高生产效率。

1. This machine adopts a large-size touch screen, which makes the operation more intuitive and simple. All functions can be completed with one click and the stitch length and speed can be adjusted freely, equipped with imported hook imported parts and internet of things.
2. It uses a direct-drive stepper motor to feed, reducing the traditional mechanical structure, with a lower failure rate, more stable and convenient, and stitch distance only needs to be adjusted on the display screen.
3. The line is more beautiful, the backstitch perfectly overlaps, the outer bend, the inner bend, the stitch length is exactly the same, and the upper and lower feeding speeds can be adjusted separately to allow the material to completely overlap.
4. It is capable of multi-stage programming and pattern sewing, the machine head is stable, the operation vibration is small, and within the specified speed range, the speed can be automatically adjusted is easier for employees to control, and novices can work without training.
5. Automatic back stitching, automatic presser foot lifting, automatic thread trimming automatic positioning, automatic tilting, and power-off settings make the machine more intelligent.
6. It has built-in multiple languages, such as Chinese, Vietnamese, etc. It is equipped with dual-color lights, automatic brightness adjustment, and the main parts are imported parts. It can be connected to the Internet of Things, and the machine dynamics can be accurately grasped through digitalization to improve production efficiency.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	有 (Yes)	有 (Yes)	有 (Yes)	103KG	120*55*130CM

JN-8910BTF

RIGHT HOOK POST BED STEPPER SMALL MOUTH MACHINE 矮柱步进小嘴右釜罗拉车



Intelligent touch screen display
智能触摸显示屏



Upper feeding motor
上送料电机




Lower feeding motor
下送料电机



Post bed size: 50mm, 55mm
嘴巴尺寸: 50mm, 55mm



Reproduction diagram
效果图



Special traces
特殊线迹

产品功能特点:

1. 本机采用大尺寸触摸显示屏, 操作更直观简单, 所有功能可以一键完成, 方便快捷, 针距和速度可以自由调节。
2. 采用直驱式步进马达送料, 减少传统机械结构, 故障率更低, 更加稳定方便, 针距距离只需要在显示屏上调节。
3. 线路更加美观, 倒针完美重合, 外弯, 内弯, 针距完全一样, 上下送料速度可分开调节, 让材料完全重合。
4. 可多段式编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动倒针, 自动抬压脚, 自动剪线, 自动定位, 自动倾斜断电设定, 让机器更加智能。
6. 内置多种语言, 如中文、越南文等, 配置双色灯, 亮度自动调节, 适用于童鞋和小部件材料连接。

1. This machine adopts a large-size touch screen, which makes the operation more intuitive and simple. All functions can be completed with one click and the stitch length and speed can be adjusted freely.
2. It uses a direct-drive stepper motor to feed, reducing the traditional mechanical structure, with a lower failure rate, more stable and convenient, and stitch distance only needs to be adjusted on the display screen.
3. The line is more beautiful, the backstitch perfectly overlaps, the outer bend, the inner bend, the stitch length is exactly the same, and the upper and lower feeding speeds can be adjusted separately to allow the material to completely overlap.
4. It is capable of multi-stage programming and pattern sewing, the machine head is stable, the operation vibration is small, and within the specified speed range, the speed can be automatically adjusted is easier for employees to control, and novices can work without training.
5. Automatic back stitching, automatic presser foot lifting, automatic thread trimming automatic positioning, automatic tilting, and power-off settings make the machine more intelligent.
6. Built-in multiple languages, such as Chinese, Vietnamese, etc., equipped with dual-color lights, automatic brightness adjustment, suitable for children's shoes and small parts material connection.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	有 (Yes)	有 (Yes)	有 (Yes)	110KG	120*55*145CM

JN-8912BTF

RIGHT HOOK POST BED STEPPER SMALL MOUTH MACHINE 高柱步进小嘴右釜罗拉车



Intelligent touch screen display
智能触摸显示屏



Upper feeding motor
上送料电机




Lower feeding motor
下送料电机



Post bed size: 57mm, 67mm
嘴巴尺寸: 57mm, 67mm



Reproduction diagram
效果图



Special traces
特殊线迹

产品功能特点:

1. 本机采用大尺寸触摸显示屏, 操作更直观简单, 所有功能可以一键完成, 方便快捷, 针距和速度可以自由调节。
2. 采用直驱式步进马达送料, 减少传统机械结构, 故障率更低, 更加稳定方便, 针距距离只需要在显示屏上调节。
3. 线路更加美观, 倒针完美重合, 外弯, 内弯, 针距完全一样, 上下送料速度可分开调节, 让材料完全重合。
4. 可多段式编程和花样缝, 机头平稳, 运行震动小, 无极变速, 员工更加容易操控, 生手无需培训即可上岗。
5. 自动倒针, 自动抬压脚, 自动剪线, 自动定位, 自动倾斜断电设定, 让机器更加智能。
6. 内置多种语言, 如中文、越南文等, 配置双色灯, 亮度自动调节, 适用于童鞋和小部件材料连接。

1. This machine adopts a large-size touch screen, which makes the operation more intuitive and simple. All functions can be completed with one click and the stitch length and speed can be adjusted freely.
2. It uses a direct-drive stepper motor to feed, reducing the traditional mechanical structure, with a lower failure rate, more stable and convenient, and stitch distance only needs to be adjusted on the display screen.
3. The line is more beautiful, the backstitch perfectly overlaps, the outer bend, the inner bend, the stitch length is exactly the same, and the upper and lower feeding speeds can be adjusted separately to allow the material to completely overlap.
4. It is capable of multi-stage programming and pattern sewing, the machine head is stable, the operation vibration is small, and within the specified speed range, the speed can be automatically adjusted is easier for employees to control, and novices can work without training.
5. Automatic back stitching, automatic presser foot lifting, automatic thread trimming automatic positioning, automatic tilting, and power-off settings make the machine more intelligent.
6. Built-in multiple languages, such as Chinese, Vietnamese, etc., equipped with dual-color lights, automatic brightness adjustment, suitable for children's shoes and small parts material connection.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	12MM	0-6MM	40MM	DP*5	有 (Yes)	有 (Yes)	有 (Yes)	103KG	120*55*158CM

JN-8912

HIGH POST BED SINGLE NEEDLE SEWING ROLLER MACHINE 单针细高柱罗拉车



Wheel presser foot
滚轮压脚



Post bed size: 50mm, 42mm
嘴巴尺寸: 50mm, 42mm



Energy saving motor
节能马达



Manual presser foot lifter
手动抬压脚装置



Reproduction diagram
效果图




Reproduction diagram
效果图

产品功能特点:

1. 特殊细柱设计，能车缝一般罗拉车不容易操作的小产品及较难车缝的角度。
2. 可根据车缝需求，指定大釜座的方向（分左右）。
3. 此机器柱子高度有300mm和430mm。
4. 适用于小部件材料和特殊工艺车缝。

1. The special thin column design can sew small products and difficult angles that are not easy to operate with ordinary roller machines.
2. The direction of the hook seat can be specified (left and right) according to the sewing requirements.
3. The column height of this machine is 300mm and 430mm.
4. Suitable for small parts materials and special process sewing.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	550W	2000	15MM	0-7MM	40MM	DP*5	无 (No)	无 (No)	无 (No)	100KG	120*55*158CM

JN-735BTF

DIRECT DRIVE AUTOMATIC TRIMMING MACHINE (BIG HOOK) 单针直驱自动剪线平车（大梭）



Button screen
按键显示屏



Big hook image
大梭床图片




Thread trimming system
切线刀架



Presser foot image
压脚位置图片



Automatic presser foot
lifting solenoid valve
自动抬压脚电磁阀



Reproduction diagram
效果图

产品功能特点:

1. 外观美观，超低振动静音效果，结构设计巧妙，能灵活配合多样材料的车缝。
2. 大梭床可车缝厚料产品并加工，减少更换底线次数，节省时间，提高工作效率。
3. 可视数字化显示屏，可以设置机器功能和参数。
4. 采用新型自动切线结构设计，剪线更稳定。
5. 全自动加油循环系统，确保零部件使用寿命且易于保养。
6. 可根据车缝物料要求，在显示屏上任意设置前后倒缝。
7. 自动剪线，自动倒针，自动抬压脚功能。


1. Beautiful appearance, ultra-low vibration and mute effect, clever structural design, and can flexibly cooperate with sewing of various materials.
2. The large hook can reduce the number of times of changing the bobbin thread, saves time and improves work efficiency.
3. Visual digital display, machine functions and parameters can be set.
4. Using a new automatic trimming structure design, trimming is more stable.
5. Fully automatic refueling circulation system ensures the service life of parts and is easy to maintain.
6. According to the requirements of sewing materials, the back tracking system can be set arbitrarily on the display screen.
7. Automatic thread trimming, automatic backstitching, automatic presser foot lifting.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2500	15MM	0-7MM	41MM	DP*5	有 (Yes)	有 (Yes)	有 (Yes)	60KG	120*55*130CM

JN-810F

WIG MAKING SEWING MACHINE 假发机



Spherical post bed
球形柱子



Wheel presser foot
滚轮压脚



Stitch length adjustment
针距调节



Clutch motor
离合器马达

产品功能特点:

1. 采用全回转垂直式轴的梭头，连接杆的天平，车缝效果良好
2. 车缝流畅自如，缝目均匀美观，可提高缝制质量。
3. 轻压倒缝杆可轻松倒缝，操作简单。

1. The shuttle head with full-rotation vertical axis and the balance of connecting rod have good sewing effect.
2. The sewing is smooth, the seams are even and beautiful, which can improve the sewing quality.
3. The reverse sewing rod can be easily reversed by lightly pressing it, and the operation is simple.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	400W	2000	11MM	0-7MM	40MM	DP*5	无 (No)	无 (No)	无 (No)	75KG	120*55*125CM

JN-823

COTTON CORE PROCESSING SEWING MACHINE 棉条机



Up and down feeding
same time
同步压脚



Double line blind stitching
双线暗缝




Double line stitching
双线明缝



Single line blind stitching
单线暗缝



Double cotton core stitching
双棉条缝



Single cotton core stitching
单棉条加边缝

产品功能特点:

1. 上下同步送料，双针，双底线。
2. 棉芯条车缝方式可根据需要定做，现有5种花样选择。
3. 车缝一次成型，省时省人工，大大提高工作效率。
4. 适合于鞋类，包包，手袋，帽子等各种装饰车缝。

1. Same time feeding up and down, double needle, double bottom line.
2. The sliver sewing method can be currently 7 patterns to choose.
3. One-step sewing saves time and labor, greatly improving work efficiency.
4. Suitable for various decorative sewing on shoes, bags, handbags, hats, etc.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	550W	2500	12MM	0-6MM	40MM	DP*5	无 (No)	无 (No)	无 (No)	75KG	120*59*125CM

JN-902

EDGE TRIMMING MACHINE 内里修边机




Trimming knife
修边刀片



Cobblestone
鹅卵石



Drive motor
驱动电机



Reproduction diagram
效果图



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 采用高精密度的零件，确保长时间运转的稳定性，高质量的齿轮和轴承，确保长时间使用不易出现零件损坏，噪音低，震动小。
2. 适用于鞋类、包袋、文具、皮革制品等各种物料裁剪修边。

1. Use high-precision parts to ensure long-term operation stability, high-quality gears and bearings to ensure that parts are not easily damaged during long-term use, low noise and small vibration.

2. Suitable for cutting and trimming of various materials such as shoes, bags, stationery, leather products, etc.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	整机重量 Net weight	整机尺寸 Dimension
220V	250W	2500	87KG	120*55*116CM

JN-903

INNER EDGE TRIMMING MACHINE 挖孔内里修边机



Trimming knife
修边刀片



Cobblestone
鹅卵石



Drive motor
驱动电机



Reproduction diagram
效果图

产品功能特点:

1. 采用高精密度的零件，确保长时间运转的稳定性，高质量的齿轮和轴承，确保长时间使用不易出现零件损坏，噪音低，震动小。
2. 适用于鞋类、包袋、文具、皮革制品等各种物料裁剪修边。

1. Use high-precision parts to ensure long-term operation stability, high-quality gears and bearings to ensure that parts are not easily damaged during long-term use, low noise and small vibration.

2. Suitable for cutting and trimming of various materials such as shoes, bags, stationery, leather products, etc.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	整机重量 Net weight	整机尺寸 Dimension
220V	250W	2500	87KG	120*55*116CM

JN-906/909

EDGE TRIMMING MACHINE

鞋底，大底修边机



Trimming knife
修边刀片



Switch
控制开关



Drive motor
驱动电机



Reproduction diagram
效果图



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点：

1. 采用高精密度的零件，确保长时间运转的稳定性，一体机设计，免除安装的麻烦。
2. 适用于鞋底修边，能迅速安全的修边且不损坏鞋底，细致工整。
3. 大大提高工作效率，效率为3-7名人工的工作能力。

1. High-precision parts are used to ensure long-term operation stability, and the all-in-one design eliminates the trouble of installation.
2. Suitable for trimming the soles of shoes, it can trim the soles quickly and safely without damaging the soles, and it is meticulous and neat.
3. Greatly improve work efficiency, the efficiency is equivalent to the work capacity of 3-7 workers.




电压 Voltage	功率 Power	转速 Speed (s.p.m)	整机重量 Net weight	整机尺寸 Dimension
220V	250W	2500	87KG	120*55*106CM

JN-905

SHOE UPPER TRIMMING MACHINE

鞋面挖孔修边机



Trimming knife
修边刀片



Light
照明灯



Air pressure device
气压装置



Switch
控制开关



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点：

1. 采用高精密度的零件，确保长时间运转的稳定性。
2. 适用于鞋面挖孔，能迅速安全的修边且不损坏鞋面，细致工整。
3. 大大提高工作效率，效率为3-7名人工的工作能力。

1. High-precision parts are used to ensure long-term operation stability.
2. Suitable for digging holes in the upper, can trim the edges quickly and safely without damaging the upper, and is meticulous and neat.
3. Greatly improve work efficiency, the efficiency is equivalent to the work capacity of 3-7 workers.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	整机重量 Net weight	整机尺寸 Dimension
220V	250W	2500	87KG	120*55*116CM

JN-335

CYLINDER BED SINGLE NEEDLE SEWING MACHINE (BIG HOOK) 横简单针包边机 (大梭)



Stitch length adjustment
针距调节




Presser foot image
压脚图片



Machine head
机头照片



Mechanical structure
机械结构



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 为大圆型特殊设计，直径为50mm，针对中小型至大型管状物旋转车缝设计，车缝顺手无阻碍。
2. 综合式送料，针，狗牙压，压脚送料，不拘于材料表面是平滑还是粗糙，缝制时皆能稳定进行。
3. 当几层皮料加在一起缝制时，内层皮料不会移动。
4. 针棒加左右边固定，在缝制时比较稳定，减少断针或者断线，并始终保持整齐美观的线迹。
5. 适用于小圆筒物品、鞋类、玩具、皮包、带子等各种小物品和材料包边用。

1. Specially designed for large circular shapes with a diameter of 50mm. It is specially designed for rotary sewing of small to medium-sized to large tubular objects. The sewing can be done smoothly and without any obstruction.
2. Compound feeding, needle feeding, dog-tooth pressure feeding, and presser foot feeding ensure stable sewing regardless of whether the material surface is smooth or rough.
3. When several layers of leather are sewn together, the inner layer of leather will not move.
4. The needle bar is fixed with the left and right sides, which is relatively stable during sewing, reducing needle breakage or thread breakage, and always maintaining neat and beautiful stitches.
5. Suitable for sewing small cylindrical items, shoes, toys, purses, belts and other small items and materials.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	250W	1500	15MM	0-5.5MM	40MM	DP*5	无 (No)	无 (No)	无 (No)	65KG	120*54*149CM

JN-335-8BL

SMALL CYLINDER BED HIGH SPEED SINGLE NEEDLE MACHINE 小横管高速单针车



Stitch length adjustment
针距调节



Presser foot image
压脚图片




Size: 45mm
嘴巴尺寸: 45mm



Mechanical structure
机械结构



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 为小圆型特殊设计，直径为45mm，针对小型至大型管状物旋转车缝设计，车缝顺手无阻碍。
2. 综合式送料，针，狗牙压，压脚送料，不拘于材料表面是平滑还是粗糙，缝制时皆能稳定进行。
3. 当几层皮料加在一起缝制时，内层皮料不会移动。
4. 针棒加左右边固定，在缝制时比较稳定，减少断针或者断线，并始终保持整齐美观的线迹。
5. 适用于小圆筒物品、鞋类、玩具、皮包、带子等各种小物品车缝用。

1. Specially designed for small circular shapes with a diameter of 45mm. It is specially designed for rotary sewing of small to medium-sized to large tubular objects. The sewing can be done smoothly and without any obstruction.
2. Compound feeding, needle feeding, dog-tooth pressure feeding, and presser foot feeding ensure stable sewing regardless of whether the material surface is smooth or rough.
3. When several layers of leather are sewn together, the inner layer of leather will not move.
4. The needle bar is fixed with the left and right sides, which is relatively stable during sewing, reducing needle breakage or thread breakage, and always maintaining neat and beautiful stitches.
5. Suitable for sewing small cylindrical items, shoes, toys, purses, belts and other small items.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	250W	1500	15MM	0-5.5MM	40MM	DP*5	无 (No)	无 (No)	无 (No)	65KG	120*54*149CM

JN-335-8BR

SMALL CYLINDER BED HIGH SPEED SINGLE NEEDLE MACHINE 小横管高速单针车



Stitch length adjustment
针距调节



Presser foot image
压脚图片



Size: 45mm
嘴巴尺寸: 45mm




Mechanical structure
机械结构



Reproduction diagram
效果图



Reproduction diagram
效果图



产品功能特点:

1. 为小圆型特殊设计，直径为45mm，针对小型至大型管状物旋转车缝设计，车缝顺手无阻碍。
2. 综合式送料，滚轮压脚送料，不拘于材料表面是平滑还是粗糙，缝制时皆能稳定进行。
3. 当几层皮料加在一起缝制时，内层皮料不会移动。
4. 针棒加左右边固定，在缝制时比较稳定，减少断针或者断线，并始终保持整齐美观的线迹。
5. 适用于小圆筒物品，鞋类，玩具，皮包，袋子等各种小型物品。
6. 压轮结构，边距更容易掌控。

1. Specially designed for small circular shapes with a diameter of 45mm. It is specially designed for rotary sewing of small to medium-sized to large tubular objects. The sewing can be done smoothly and without any obstruction.
2. Compound feeding, wheel presser foot feeding, and presser foot feeding ensure stable sewing regardless of whether the material surface is smooth or rough.
3. When several layers of leather are sewn together, the inner layer of leather will not move.
4. The needle bar is fixed with the left and right sides, which is relatively stable during sewing, reducing needle breakage or thread breakage, and always maintaining neat and beautiful stitches.
5. Suitable for small cylindrical items, shoes, toys, purses, bags and other small items.
6. The press wheel structure makes the margin easier to control.

电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	250W	1500	15MM	0-5.5MM	40MM	DP*5	无 (No)	无 (No)	无 (No)	65KG	120*54*149CM

JN-600TF

AUTOMATIC THREAD CUTTING OVERSEWING MACHINE 自动剪线拉帮机



Stitch length adjustment
针距调节



Thread trimmer position
剪线刀架位置



presser foot lift cylinder
抬压脚气缸



Intelligent locator
定位器



Reproduction diagram
效果图



Reproduction diagram
效果图



产品功能特点:

1. 自动剪线、自动抬压脚、配备电子马达带定位装置，无极变速，易于操作，节省人工，提高工作效率。
2. 自动加油循环设计，降低零件的磨损和减少车缝时的噪音。
3. 本机采用旋钮式调针距，方便操作，手臂高，操作空间大，使用方便。
4. 适用于鞋类，皮革制品等物料车缝。

1. Automatic thread trimming, automatic presser foot lifting, equipped with electronic motor with positioning device, stepless speed change, easy to operate, saving labor and improving work efficiency.
2. Automatic refueling cycle design reduces wear of parts and noise during sewing.
3. This machine adopts a knob type to adjust the stitch length for easy operation. The arm is high and the operating space is large, making it easy to use.
4. Suitable for sewing shoes, leather products and other materials.

电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	650W	2800	18MM	0-10MM	34MM	DP*5	有 (Yes)	有 (Yes)	无 (No)	75KG	120*54*112CM

JN-600


AUTOMATIC LUBRICATION DISC FEED OVERSEAMING MACHINE 自动加油中底缝合机



Stitch length adjustment
针距调节



Presser foot image
压脚图片



Intelligent locator
定位器



Machine head
机器头



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

- 1.自动循环加油设计,降低零件磨损,减少车缝时候的噪音,手臂高,操作空间大,使用方便。
- 2.本机采用旋钮调节针距,操作方便。
- 3.可缝制加州鞋型,皮革制品等物料车缝。

1. Automatic lubricating system reduces parts wear and noise during sewing. The arm is high, the operating space is large, and it is easy to use.
2. This machine uses a knob to adjust the stitch length, which is easy to operate.
3. Can sew California shoes, leather products and other materials.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	650W	2800	18MM	0-10MM	34MM	DP*5	无 (No)	无 (No)	无 (No)	70KG	120*54*112CM

JN-1800/1801

SINGLE NEEDLE HEAVY DUTY STITCHING MACHINE 单针摩卡车



Presser foot image
压脚图片



Mechanical structure
机械结构

产品功能特点:

1. 本系列机型采用大型垂直全回转旋梭, 连杆式天秤。
2. 适用于缝制皮革、帆布、帐篷、防水布等各种极厚素材。
3. 适用于缝制马鞍马具、安全带、林场作业捆包带野外帐篷、皮球手套、抛光布轮、登山用具, 旅行箱包等其他极厚料产品

1. The series adopts large vertical rotation hook, linked-type scale. Suitable for sewing leather, canvas, tents, waterproof fabric etc all kind of extra heavy materials.
2. Used for sewing saddle, harness, safety belt, tree farm working band, outdoors tent, leatherball, gloves, mountain climbing gear, luggage etc extra heavy materials products.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	400W	1200	13MM	0-13MM	34MM	DD*1	无 (No)	无 (No)	无 (No)	80KG	90*60*147CM

JN-1810

DOUBLE NEEDLE HEAVY DUTY STITCHING MACHINE 双针摩卡车



Presser foot image
压脚图片




Mechanical structure
机械结构



Mechanical structure
机械结构



Machine head
机头




Reproduction diagram
效果图

产品功能特点:

1. 本机采用连杆式天枰挑线，垂直全回转大型旋梭勾线，双针间距可调节。
2. 增加梭芯绕线量，可以减少更换底线次数，提高缝制效率，能进行镶线装饰缝制。
3. 适用于皮革制品、鞋、箱包手袋、靴的装饰缝等。

1. This machine adopts a connecting rod type balance thread pick-up and a vertical full-rotation large hook to hook the thread. The distance between the two needles is adjustable.
2. Increasing the amount of bobbin winding can reduce the number of times the bottom thread is replaced, improve sewing efficiency, and can perform decorative sewing of inlay thread.
3. Suitable for decorative sewing of leather products, shoes, bags, handbags, boots, etc.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	650W	1200	13MM	0-13MM	34MM	DD*1	无 (No)	无 (No)	无 (No)	85KG	120*54*147CM

JN-81

CYLINDER BED PATTERN STITCHING MACHINE 花样摩卡车



Hook image
大钩图片



Presser foot image
压脚图片



Electronic motor
电子马达



Presser foot lifter
抬压脚装置



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 本机适用于皮鞋、休闲鞋和皮包的缝合机加工，配凸轮以达成9种线迹缝制。
2. 本机采用电子调速马达，速度灵活掌握，可自动抬压脚，可大大提高生产效率。

1. This machine is suitable for sewing leather shoes, casual shoes and leather bags, and is equipped with a cam to achieve 9 kinds of stitches.
2. This machine uses an electronic speed-regulating motor, which can flexibly control the speed and automatically lift the presser foot, which can greatly improve production efficiency.




电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2000	16MM	0-8MM	34MM	DD*1	有 (Yes)	无 (No)	无 (No)	120KG	103*67*117CM

JN-205/205A

SINGLE NEEDLE CYLINDER BED STITCHING MACHINE 筒型综合送料厚料缝纫机



Presser foot image
压脚图片



Size: 80mm
嘴巴尺寸: 80mm



Adjust stitch length
调节线距



Electronic motor
电子马达

产品功能特点:

1. 压脚提升可达到20mm, 适用于缝制极厚物料。
2. 可缝制的工作范围32mm, 适用于缝制大型物品, 采用半回转式的大釜和大梭子, 可以减少更换底线次数, 增加缝制效率
3. 适用于手提包的手把、棒球手套、安全带、帐篷、椅垫、鞋类、箱包等。


1. The presser foot can be lifted up to 20mm, suitable for sewing extremely thick materials.
2. The sewing working range is 32mm, suitable for sewing large items. The semi-rotating large kettle and large shuttle can reduce the number of times the bottom line is replaced and increase sewing efficiency.
3. Suitable for handbag handles, baseball gloves, seat belts, tents, chair cushions, shoes, bags, etc.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	650W	800	20MM	0-11MM	34MM	DY*3	无 (No)	无 (No)	无 (No)	115KG	115*54*118CM

JN-205V

SINGLE NEEDLE CYLINDER BED STITCHING MACHINE WITH BINDING 单针包边筒型车



Hook image
大釜图片



Size: 80mm
嘴巴尺寸: 80mm



Adjust stitch length
调节线距



Electronic motor
电子马达

产品功能特点:

1. 本机有下送料和上送料单独调节系统, 使上下不同步送料, 让作为厚料车缝专业设备更具有多样性和实用性。
2. 压脚提升可达到20mm, 适用于缝制极厚物料, 可缝制的工作范围32mm, 适用于缝制大型物品, 采用半回转式的大釜和大梭子, 可以减少更换底线次数, 增加缝制效率
3. 适用于手提包、棒球手套、安全帽、帐篷、椅垫、鞋类、箱包等材料包边。

1. This machine has a separate adjustment system for lower and upper feeding, which allows asynchronous feeding of the upper and lower parts, making it more versatile and practical as a professional equipment for sewing thick materials.
2. The presser foot can be lifted up to 20mm, which is suitable for sewing extremely thick materials. The sewing working range is 32mm, which is suitable for sewing large items. The semi-rotary large kettle and large shuttle can reduce the number of times the bottom line is replaced and increase sewing efficiency.
3. Suitable for hemming materials such as handbags, baseball gloves, helmets, tents, chair pads, shoes, bags, etc.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	650W	800	20MM	0-11MM	34MM	DY*3	无 (No)	无 (No)	无 (No)	115KG	115*55*118CM

JN-05C

DOUBLE NEEDLE COMPUTER PATTERN SEWING MACHINE 双针电脑花样机




Presser foot image
压脚图片



Air pressure
气压



Adjust stitch length
调节线迹



Presser foot adjustment disc
压脚调节盘

产品功能特点:

1. 本机采用“双送料”方式，两个送布牙可单独调节针距，可实现多种花样的调节，车缝针距均匀，线迹美观。
2. 分离式传统结构，当车缝卡线时，会自动切断电源，停止运转，保护机器不受损
3. 适用于运动鞋，休闲鞋及各种特殊车缝
4. 大尺寸触摸显示屏，针距，行距，花样选择都可在显示屏上一键完成，本机内置花样200多种，也可编制自己需要的图形。
5. 单针，双针自由切换，带有USB接口，图形拷贝更加方便。

1. This machine adopts the "double feeding" method. The two feed dogs can adjust the needle distance separately, which can realize the adjustment of various patterns, the sewing needle distance is uniform, and the stitches are beautiful.
2. Separate traditional structure, when the sewing thread is stuck, it will automatically cut off the power supply and stop running to protect the machine from damage
3. Suitable for sports shoes, casual shoes and various special sewing
4. Large-size touch screen, needle distance, line distance, pattern selection can be completed on the screen with one button. This machine has more than 200 built-in patterns, and you can also compile the graphics you need.
5. Single needle and double needle can be switched freely, with USB interface, graphic copy is more convenient



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	1000	12MM	0-10MM	40MM	DD*1	有 (Yes)	无 (No)	有 (Yes)	188KG	130*78*144CM

JN-2971/2971L

SHOE REPAIRING MACHINE 八方车



Presser foot image
压脚图片



Size: 25mm, 25mm
嘴巴尺寸: 25mm, 25mm



Needle length adjustment
针距调节



Electronic motor
电子马达

产品功能特点:

1. 压脚方向可360度旋转，能适应各种物料车缝。
2. 筒径细小，最宽不超过25MM，特殊小角度，细长的物料均可车缝。
3. 适用于鞋类、玩具、手机套、皮具制品等各种物料。

1. The direction of the presser foot can be rotated 360 degrees, which can be adapted to sewing various materials.
2. The barrel diameter is small, the maximum width does not exceed 28MM, and the special small angle can sew long and slender materials.
3. Suitable for various materials such as shoes, toys, mobile phone cases, leather products, etc.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	650W	800	9MM	1.6-5MM	30MM	DP*17	无 (No)	无 (No)	无 (No)	60KG	120*54*130CM

JN-3811R

LEATHER WRINKLE SEWING MACHINE 皮革缩缝车



Presser foot image
压脚图片



Button smart display
按键智能显示屏



Manual presser foot lift
手控抬压脚



Light
灯光



Reproduction diagram
效果图



Reproduction diagram
效果图



产品功能特点:

1. 智能控制界面，可在界面设定一段式车缝和三段式车缝，直线车缝和缩缝功能可一键切换。
2. 缩缝送步牙由步进马达控制，可在界面上自由设定，大功率直驱马达，自动抬压脚。
3. 适用于鞋类、沙发、皮革制品等各种物料的车缝。

1. Intelligent control interface, one-stage sewing and three-stage sewing can be set on the interface, and the straight sewing and shrinkage sewing functions can be switched with one button.
2. The shrinkage sewing feeding teeth are controlled by a stepper motor, which can be freely set on the interface. The high-power direct drive motor automatically lifts the presser foot.
3. Suitable for sewing various materials such as shoes, sofas, leather products, etc.

电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	650W	2000	13MM	2-8MM	30MM	DP*17	无 (No)	无 (No)	无 (No)	80KG	120*54*130CM

JN-908

AUTOMATIC SEAM RUBBING MACHINE 自动上胶分边锤平机



Column picture
立柱图片



Size: 80mm
嘴巴尺寸: 80mm



Locator
定位器



Electronic motor
电子马达

产品功能特点:

1. 本机采用环保热熔胶，自动上胶锤平的质量好，效率高，省人工。
2. 采用台湾HELLI 电子马达驱动，速度放慢可调节，节能，故障低等特点。
3. 数字电控系统，可调节胶槽温度和出胶量大小，调整方便。
4. 新型分边装置，可伸缩调节厚薄。
5. 出胶压脚可左右上下调节，员工调节操作方便。
6. 本机适用于鞋类、箱包、手袋等皮革等分边锤平工艺。


1. This machine uses environmentally friendly hot melt glue, and the automatic gluing hammering has good quality, high efficiency and labor saving.
2. It is driven by Taiwan HELLI electronic motor, with adjustable speed, energy saving and low failure.
3. Digital electronic control system, which can adjust the temperature of the glue tank and the amount of glue output, is easy to adjust.
4. New edge separation device, which can adjust the thickness.
5. The glue pressure foot can be adjusted left and right, up and down, and it is convenient for employees to adjust and operate.
6. This machine is suitable for the edge separation hammering process of leather such as shoes, bags, handbags, etc.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	折边宽度 Width of edge folding	整机重量 Net weight	整机尺寸 Dimension
220V	650W	2000	10MM	0-8MM	90KG	120*60*140CM

JN-302A

HOT AIR SEALING WATERPROOF MACHINE 热压密封条机



Presser foot image
压脚图片



Smart touch display
智能触摸显示屏



Machine control center
机器控制中心



Air pressure
气压



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 本机系以热气嘴及上下滚轮的加压，而将防水贴条贴口，以达到防水效果。采用PLC+触摸屏控制、方便操作，数字直，功能强大。风口采用扁口，风口出风均匀，风枪三相调节，适合不同厚薄材料可上下调节，方便维修。
2. 适用于防护服，隔离服及各种厚薄的防水鞋与防水用具。防水鞋有：运动鞋、雪靴、高尔夫球鞋、登山鞋及便鞋等。防水用具具有：雨衣、防水手提袋、通风管、尼龙营帐及雪衣、帽子、手套等

1. This machine uses the hot air nozzle and the upper and lower rollers to pressurize the waterproof strip to achieve a waterproof effect. It uses PLC+touch screen control, easy to operate, digital straight, and powerful functions. The air outlet adopts a flat outlet, the air outlet has uniform air outlet, and the air gun has three-phase adjustment, which can be adjusted up and down for different thicknesses of materials, and is convenient for maintenance.
2. It is suitable for protective clothing, isolation clothing and various thicknesses of waterproof shoes and waterproof equipment. Waterproof shoes include: sports shoes, snow boots, golf shoes, hiking shoes and casual shoes, etc. Waterproof equipment includes: raincoats, waterproof handbags, ventilation pipes, nylon tents and snow clothes, hats, gloves, etc.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	气压压力 Air pressure	压力滚轮宽度 Pressing roller width	整机重量 Net weight	整机尺寸 Dimension
220V	1KW	1000	25MM	5KG	25MM	144KG	135*75*160CM

JN-302B

HOT AIR SEALING WATERPROOF MACHINE 热压密封条机



Presser foot image
压脚图片



Smart touch display
智能触摸显示屏



Machine control center
机器控制中心



Air pressure
气压



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 本机系以热气嘴及上下滚轮的加压，而将防水贴条贴口，以达到防水效果。采用PLC+触摸屏控制、方便操作，数字直，功能强大。风口采用扁口，风口出风均匀，风枪三相调节，适合不同厚薄材料可上下调节，方便维修。
2. 适用于防护服，隔离服及各种厚薄的防水鞋与防水用具。防水鞋有：运动鞋、雪靴、高尔夫球鞋、登山鞋及便鞋等。防水用具具有：雨衣、防水手提袋、通风管、尼龙营帐及雪衣、帽子、手套等

1. This machine uses the hot air nozzle and the upper and lower rollers to pressurize the waterproof strip to achieve a waterproof effect. It uses PLC+touch screen control, easy to operate, digital straight, and powerful functions. The air outlet adopts a flat outlet, the air outlet has uniform air outlet, and the air gun has three-phase adjustment, which can be adjusted up and down for different thicknesses of materials, and is convenient for maintenance.
2. It is suitable for protective clothing, isolation clothing and various thicknesses of waterproof shoes and waterproof equipment. Waterproof shoes include: sports shoes, snow boots, golf shoes, hiking shoes and casual shoes, etc. Waterproof equipment includes: raincoats, waterproof handbags, ventilation pipes, nylon tents and snow clothes, hats, gloves, etc.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	气压压力 Air pressure	压力滚轮宽度 Pressing roller width	整机重量 Net weight	整机尺寸 Dimension
220V	1KW	1000	25MM	5KG	25MM	144KG	135*75*160CM

JN-302C

INTELLIGENT STRAIGHT ARM HOT AIR EDGE PRESSING MACHINE 智能直臂热风分边密封条机



Presser foot image
压脚图片



Smart touch display
智能触摸屏



Air pressure
气压



Machine control center
机器控制中心

产品功能特点:

1. 本机以热气球及上下滚轮的加压，将热熔胶布条贴合在合缝材料处，起到把材料压平整的效果。采用PLC+触摸屏控制，方便操作，数字直，功能强大。风口采用扁口，风口出风均匀，风枪三相调节，适合不同厚薄材料可上下调节，方便维修。
2. 适用于防护服，隔离服及各种厚薄的防水鞋与防水用具。防水鞋有：运动鞋、雪靴、高尔夫球鞋、登山鞋及便鞋等。防水用具：雨衣、防水手提袋、通风管、尼龙营帐及雨衣、帽子、手套等。
3. 相较于传统压条机，可节省刷胶贴合2工艺，提高工作效率。

1. This machine uses the hot air nozzle and the pressure of the upper and lower rollers to stick the hot melt adhesive strips to the joint materials, which has the effect of flattening the materials. It uses PLC+touch screen control, easy to operate, digital straight, and powerful functions. The air outlet adopts a flat outlet, the air outlet has uniform air outlet, and the air gun has three-phase adjustment, which can be adjusted up and down for different thicknesses of materials, and is convenient for maintenance.
2. It is suitable for protective clothing, isolation clothing and various thicknesses of waterproof shoes and waterproof equipment. Waterproof shoes include: sports shoes, snow boots, golf shoes, hiking shoes and casual shoes, etc. Waterproof equipment includes: raincoats, waterproof handbags, ventilation pipes, nylon tents and snow clothes, hats, gloves, etc.
3. Compared with the traditional laminating machine, it can save the two processes of brushing glue and laminating, and improve work efficiency.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	气压压力 Air pressure	压力滚轮宽度 Pressing roller width	整机重量 Net weight	整机尺寸 Dimension
220V	1.8KW	1000	25MM	5KG	25MM	140KG	120*54*157CM

JN-1530Z/1533Z JN-1534Z

SINGLE NEEDLE DIRECT DRIVE ZIGZAG SEWING MACHINE 单针直驱万能车



Motor image
电机图片



Presser foot image
压脚图片



Hook image
大釜图片



Stitch length adjustment
线距调节



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 采用大梭床结构设计，免除经常更换底线的麻烦，减少工时浪费，提高缝制效率，适用于各种物料的车缝，一体机设计，更节能省电。
2. 可用于人字缝或直缝或刺秀，采用全自动加油系统，降低车缝时所产生的噪音和减少零部件的磨损。
3. 本机拥有不同的配置：2点，3点，4点。

1. The large hook structure design eliminates the need to frequently change the bottom line, reduces labor waste, and improves sewing efficiency. It is suitable for sewing various materials. The all-in-one machine design is more energy-saving and power-saving.
2. It can be used for herringbone sewing, straight sewing, or embroidery sewing. It adopts a fully automatic oiling system to reduce the noise generated during sewing and reduce the wear of parts.
3. The machine has different configurations: 2 point, 3 point, 4 point.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	550W	2500	15MM	0-6MM	41MM	DP*17	无 (No)	无 (No)	无 (No)	65KG	120*54*144CM

JN-1530BTF

SINGLE NEEDLE ZIG ZAG COMPUTER SEWING MACHINE 三自动电脑万能车



Button display
按键显示屏



Presser foot image
压脚图片



Hook location diagram
梭床位置图



Trimming structure diagram
剪线结构图



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 自动剪线, 自动倒针, 自动抬压脚, 提升效率20%, 线迹美观, 节省人工。
2. 采用优良的结构设计, 可以灵活的配合多样化物料车缝, 可以用于人字缝或直缝或刺绣。
3. 适用于鞋类、包袋、沙发制品、运动用品、制帽等拼接工艺。

1. Automatic thread trimming, automatic back stitching, and automatic presser foot lifting, which improves efficiency by 20%, makes stitches beautiful, and saves labor.
2. It adopts excellent structural design and can flexibly sew with various materials. It can be used for herringbone stitching, straight stitching or embroidery.
3. It is suitable for the splicing process of shoes, bags, sofa products, sports goods, hats, etc.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	550W	2500	12MM	0-8MM	40MM	DP*17	有 (Yes)	有 (Yes)	有 (Yes)	65KG	120*54*144CM

JN-2452Z

SINGLE NEEDLE CYLINDER BED ZIGZAG BINDING SEWING MACHINE 小嘴横管同步万能车



Button screen
按键调速显示屏



Big hook design
大梭床设计




Size: 55mm, 50mm
嘴巴尺寸: 55mm, 50mm



Backtack button+led light
倒针按钮+LED灯



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 采用直驱一体机电控设计, 可自由调节缝制速度, 更加节能环保美观;
2. 采用大旋梭与梭子设计, 免除更换底线的频率, 并减少工时浪费, 提高缝制效率;
3. 采用全自动加油系统, 降低车缝时所产生的噪音和减少零配件的磨损, 且易于保养;
4. 采用优良的双压脚同步送料结构设计, 厚薄料通用, 可以灵活车缝各种物料;
5. 特殊小嘴设计, 适用于鞋口人字包边工艺, 各类皮具制品, 运动用品等特殊人字线缝制。

1. Adopting a direct-drive integrated machine electronic control design, the sewing speed can be adjusted freely, which is more energy-saving, environmentally friendly and beautiful;
2. The use of large hook and bobbin Case design eliminates the need to replace the bobbin thread, reduces waste of working hours, and improves sewing efficiency;
3. Adopt a fully automatic refueling system to reduce the noise generated during sewing and reduce the wear of spare parts, and it is easy to maintain;
4. It adopts an excellent double presser foot synchronous feeding structure design, which can be used for thick and thin materials, and can flexibly sew various materials;
5. The special small mouth design is suitable for the herringbone hemming process of shoe mouths, various types of leather products, sports goods and other special herringbone thread sewing.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	550W	2000	20MM	0-10MM	35MM	DP*17	无 (No)	无 (No)	无 (No)	66KG	120*55*120CM

JN-1126/2126

SINGLE NEEDLE BEND ARM ZIGZAG SEWING MACHINE 单针上下送曲臂人字车



Presser foot image
压脚图片




Size: 55MM
嘴巴尺寸: 55MM



Intelligent locator
定位器



Electronic motor
电子马达



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 采用不同倍数的大旋梭与梭子, 免除经常更换底线的麻烦, 并减少工时的浪费, 提高缝制的效率。
2. 采用全自动加油系统, 降低车缝时所产生的噪音和减少零部件的磨损且易于保养,
3. 采用优良的结构设计, 可以灵活车缝多样化的物料, 可用于人字缝, 直缝, 刺绣。
4. 适用于筒型材料拼缝工艺。


1. The large rotary hook and bobbin are used to avoid the trouble of frequently changing the bottom line, reduce the waste of working hours, and improve the efficiency of sewing.
2. The fully automatic oiling system is used to reduce the noise generated during sewing and the wear of parts and is easy to maintain.
3. The excellent structural design can flexibly sew a variety of materials, and can be used for zigzag sewing, straight sewing, and embroidery.
4. Suitable for the seaming process of cylindrical materials.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	2000	10MM	0-10MM	40MM	DY*5	有 (Yes)	无 (No)	无 (No)	75KG	120*64*144CM

JN-8747

AUTOMATIC GLUING EDGE FOLDING MACHINE 自动上胶折边机



Presser foot image
压脚图片



Size: 25mm, 25mm
嘴巴尺寸: 25mm, 25mm



Needle length adjustment
针距调节



Electronic motor
电子马达



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 本机有自动上胶, 自动切口, 自动折边功能, 同时可改做法式滚边。
2. 折边宽度可手动调节, 可穿补强带折边, 折边效果好, 工作效率高。
3. 铁锤折边力度可根据材料厚薄轻松调节
4. 数字电子面板控制, 可调节胶槽温度和出胶量的大小, 操作方便。
5. 采用台湾HELT电子马达驱动, 速度快慢可调节, 故障率低。
6. 本机适用于鞋类、箱包、手袋等皮革折边工艺。

1. This machine has automatic, gluing, automatic cut tooth notch, and automatic folding functions, and can also be converted to Fench.
2. The folding width can be adjusted manually, and nylon belts can be used for folding, with good folding effect and high work efficiency.
3. The folding force of the hammer can be easily adjusted according to the thickness of the material.
4. Digital electronic panel control, which can adjust the temperature of the glue tank and the amount of glue output, is easy to operate.
5. It is driven by Taiwan HELT electronic motor, with adjustable speed and low failure rate.
6. This machine is suitable for leather folding processes such as shoes, bags, and handbags.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	折边宽度 Width of edge folding	整机重量 Net weight	整机尺寸 Dimension
220V	650W	2000	10MM	0-8MM	90KG	120*60*140CM

JN-1246/2246

SINGLE NEEDLE POST BED ZIGZAG SEWING MACHINE 单针柱型人字车



Presser foot image
压脚图片




Post bed size: 63mm, 47mm
柱子尺寸: 63mm, 47mm



Adjust stitch length width
调节线距宽度



Electronic motor
电子马达



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 采用不同倍数的大旋梭与梭子, 免除经常更换底线的麻烦, 并减少工时的浪费, 提高缝制的效率。
2. 采用全自动加油系统, 降低车缝时所产生的噪音和减少零部件的磨损且易于保养,
3. 采用立柱结构, 可以灵活车缝多样化的物料, 可用于人字车缝, 适用范围广。

1. The large rotary hook and bobbin are used to avoid the trouble of frequently changing the bottom line, reduce the waste of working hours, and improve the efficiency of sewing.
2. The fully automatic oiling system is used to reduce the noise generated during sewing and the wear of parts and is easy to maintain.
3. The column structure can flexibly sew a variety of materials and can be used for herringbone sewing, with a wide range of applications.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	550W	1000	8MM	0-10MM	34MM	DY*5	无 (No)	无 (No)	无 (No)	70KG	120*54*128CM

JN-167

CYLINDER BED SMALL MOUTH SEWING MACHINE 横管小嘴车



Presser foot lift electromagnet
抬压脚电磁阀




Small mouth design
小嘴设计



Intelligent Locator
智能定位器



Electronic motor
电子马达



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 本机采用“综合送料”方式, 车缝确实, 针距均匀, 线迹美观;
2. 浸油式的润滑系统, 正常使用下保护牛角不易更换;
3. 分离式的传动结构, 当车缝卡线时, 会自动切断电源, 停止运转, 保护机器不受损;
4. 电子定位马达能自动定位及抬压脚, 运转速度可根据需要任意调整;
5. 特殊小嘴横管式设计, 直径37mm, 适用于运动鞋, 休闲鞋, 玩具, 运动护具及各种特殊部位车缝。

1. This machine adopts the "Compound feeding" method, which ensures reliable sewing, uniform stitch length and beautiful stitches;
2. Oil-immersed lubrication system protects horns from being easily replaced under normal use;
3. Separate transmission structure, when the sewing thread is jammed, the power will be automatically cut off and operation stopped to protect the machine from damage;
4. The electronic positioning motor can automatically position and lift the presser foot, and the sewing speed can be adjusted as needed;
5. Special small mouth horizontal tube design, diameter 37mm, suitable for sewing sports shoes, casual shoes, toys, sports protective gear and special parts of various products.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	1KW	800	14MM	0-12MM	38MM	CP*5	有 (Yes)	无 (No)	无 (No)	108KG	110*56*130CM

JN-168/168SS


SINGLE NEEDLE SWING ARM SIDE WALL STITCHING MACHINE 座式内线机



Presser foot image
压脚图片




Size: 55MM
嘴巴尺寸: 55MM



JN-168SS Size: 50MM, 28MM
嘴巴尺寸: 50MM, 28MM



Electronic motor
电子马达



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 本机采用综合送料方式, 车缝轻便顺畅, 针距均匀, 线迹美观;
2. 轻巧的摇臂结构设计, 操控不易疲劳, 浸油式的润滑系统, 正常使用下保护牛角不易更换;
3. 分离式的传动结构, 当车缝卡线时, 会自动切断电源, 停止运转, 保护机器不受损;
4. 电子定位马达能自动定位及提升压脚, 转速可根据需要任意调整;
5. 适用于运动鞋, 休闲鞋, 运动护具及各种特殊车缝。


1. This machine adopts a compound feeding method, make sewing light and smooth, uniform stitch length and beautiful stitches;
2. Lightweight swing arm structure design, easy to operate and fatigue-free, oil-immersed lubrication system, protective horns are not easy to replace if normal use;
3. Separate transmission structure, Force stop system, when the sewing thread is jammed, the power supply will be automatically cut off and the operation will stop to protect the machine from damage;
4. The electronic positioning motor can automatically position and lift the presser foot, and the speed can be adjusted as needed;
5. suitable for sports shoes, casual shoes, sports protective gear and various special sewing.




电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	1KW	1500	14MM	0-15MM	38MM	CP*5	有 (Yes)	无 (No)	无 (No)	110KG	110*56*130CM

JN-168Z


DOUBLE NEEDLE SWING ARM SIDE WALL STITCHING MACHINE 双针摇臂内线机



Presser foot image
压脚图片




Size: 55MM
嘴巴尺寸: 55MM



Size: 50MM, 28MM
嘴巴尺寸: 50MM, 28MM



Electronic motor
电子马达



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 本机采用综合送料方式, 车缝轻便顺畅, 针距均匀, 线迹美观;
2. 轻巧的摇臂结构设计, 操控不易疲劳, 浸油式的润滑系统, 正常使用下保护牛角不易更换;
3. 分离式的传动结构, 当车缝卡线时, 会自动切断电源, 停止运转, 保护机器不受损;
4. 电子定位马达能自动定位及提升压脚, 转速可根据需要任意调整;
5. 适用于运动鞋, 休闲鞋, 运动护具及各种特殊车缝。

1. This machine adopts a compound feeding method, make sewing light and smooth, uniform stitch length and beautiful stitches;
2. Lightweight swing arm structure design, easy to operate and fatigue-free, oil-immersed lubrication system, protective horns are not easy to replace if normal use;
3. Separate transmission structure, Force stop system, when the sewing thread is jammed, the power supply will be automatically cut off and the operation will stop to protect the machine from damage;
4. The electronic positioning motor can automatically position and lift the presser foot, and the speed can be adjusted as needed;
5. suitable for sports shoes, casual shoes, sports protective gear and various special sewing.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	1KW	1500	14MM	0-15MM	38MM	CP*5	有 (Yes)	无 (No)	无 (No)	110KG	110*56*130CM

JN-168H


15 DEGREE SINGLE NEEDLE SWING ARM STITCHING MACHINE 15度摇臂座式内线机



Presser foot image
压脚图片



Size: 55MM
嘴巴尺寸: 55MM



Size: 50MM, 28MM
嘴巴尺寸: 50MM, 28MM



Electronic motor
电子马达



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 本机采用综合送料方式, 车缝轻便顺畅, 针距均匀, 线迹美观;
2. 轻巧的摇臂结构设计, 操控不易疲劳, 浸油式的润滑系统, 正常使用保护牛角不易更换;
3. 分离式的传动结构, 当车缝卡线时, 会自动切断电源, 停止运转, 保护机器不受损;
4. 电子定位马达能自动定位及提升压脚, 转速可根据需要任意调整;
5. 嘴巴向上翘15度设计, 适用于运动鞋, 休闲鞋, 运动护具及各种特殊工艺车缝。

1. This machine adopts a compound feeding method, make sewing light and smooth, uniform stitch length and beautiful stitches;
2. Lightweight swing arm structure design, easy to operate and fatigue-free, oil immersed lubrication system, protective horns are not easy to replace if normal use;
3. Separate transmission structure, Force stop system, when the sewing thread is jammed, the power supply will be automatically cut off and the operation will stop to protect the machine from damage;
4. The electronic positioning motor can automatically position and lift the presser foot, and the speed can be adjusted as needed;
5. The horn upturned 15 degrees, suitable for sports shoes, casual shoes, sports protective gear and various special sewing.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	1KW	1500	14MM	0-15MM	38MM	CP*5	有 (Yes)	无 (No)	无 (No)	110KG	110*56*130CM

JN-168U

180 DEGREE U-SHAPED FEED SWING ARM STITCHING MACHINE 180度旋转U型综合送料内线机



Presser foot image
压脚图片



Size: 55MM
嘴巴尺寸: 55MM



Size: 50MM, 28MM
嘴巴尺寸: 50MM, 28MM



Electronic motor
电子马达

产品功能特点:

1. 本机采用综合送料方式, 车缝轻便顺畅, 针距均匀, 线迹美观;
2. 轻巧的摇臂结构设计, 操控不易疲劳;
3. 分离式的传动结构, 当车缝卡线时, 会自动停止运转, 保护机器不受损;
4. 电子定位马达能自动定位及提升压脚, 转速可根据需要任意调整, 无极变速, 更加容易操作;
5. 适用于运动鞋, 休闲鞋, 运动护具, 皮具, 箱包, 手袋及各种特殊车缝。

1. This machine adopts a compound feeding method, make sewing light and smooth, uniform stitch length and beautiful stitches;
2. Lightweight swing arm structure design, easy to operate and fatigue-free;
3. Separate transmission structure, when the sewing thread is jammed, it will automatically stop running to protect the machine from damage;
4. The electronic positioning motor can automatically position and lift the presser foot. The rotation speed can be adjusted as needed, and Continuous speed change make it easier to operate;
5. Suitable for sports shoes, casual shoes, sports protective gear, leather goods, bags, handbags and various special sewing.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	1KW	1500	14MM	0-15MM	38MM	CP*5	有 (Yes)	无 (No)	无 (No)	108KG	110*56*130CM

JN-747B

TOE MOCCASIN STITCHING MACHINE 缝马克机

产品功能特点:

1. 本机采用“综合送料”方式，车缝针距均匀，缝线美观。
2. 分离式的传动结构，当车缝卡线时，会自动切断电源，停止运转，保护机器不受损。
3. 适用于运动鞋，休闲鞋及各种特殊车缝。

1. This machine adopts the "comprehensive feeding" method, the sewing stitch length is uniform and the sewing line is beautiful.
2. The separated transmission structure will automatically cut off the power supply and stop running when the sewing thread is stuck, protecting the machine from damage.
3. Suitable for sports shoes, casual shoes and various special sewing.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	线迹长度 Stitch Length	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	550W	1000	8MM	0-10MM	34MM	DY*5	无 (No)	无 (No)	无 (No)	85KG	120*54*144CM

JN-747

ELECTRONIC MOTOR SKIVING MACHINE 环保型削皮机



Garbage collection device
吸尘箱



High precision skiving knife
高精密削皮刀



Feed wheel adjustment
送料轮调节



Electronic motor
电子马达



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 采用优质材料及零件，所以具有较高的精度，易操作、安全。
2. 本机附有自动吸尘装置和磨刀离合组，使用便利，平面削薄最大宽度可达50mm，通过重复操作，以达到所需要的宽度。
3. 配电子马达，转速高且平稳。
4. 广泛适用于各种皮革、人造皮革、橡皮等材质的边缘削薄及平面削薄。

1. It uses high-quality materials and parts, so it has high precision, easy operation and safety.
2. This machine is equipped with a garbage collection device and a sharpening clutch group, which is easy to use. The maximum width of flat cutting can reach 50mm. Through repeated operations, the required width can be achieved.
3. Equipped with an electronic motor, the speed is high and stable.
4. Widely used for edge thinning and plane thinning of various leather, artificial leather, rubber and other materials.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	整机重量 Net weight	整机尺寸 Dimension
220V	650W	2500	8MM	100KG	120*53*115CM

JN-747H

HEAVY DUTY SKIVING MACHINE 多功能重型削皮机




High precision skiving knife
高精度削皮刀




Feed wheel adjustment
送料轮调节



Electronic motor
电子马达



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 采用优质材料及零件, 具有较高的精度, 易操作、安全。
2. 本机附有自动吸尘装置和磨刀离合组, 使用便利, 平面削薄最大宽度可达50mm, 通过重复操作, 以达到所需要的宽度。
3. 广泛适用于各种皮革、人造皮革、橡皮等材质的边缘削薄及平面削薄。

1. It uses high-quality materials and parts, it has high precision, easy operation and safety.
2. This machine is equipped with a garbage collection device and a sharpening clutch group, which is easy to use. The maximum width of flat cutting can reach 50mm. Through repeated operations, the required width can be achieved.
3. Widely used for edge thinning and plane thinning of various leather, artificial leather, rubber and other materials.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	整机重量 Net weight	整机尺寸 Dimension
220V	650W	2500	8MM	100KG	120*53*115CM

JN-747Z

COUNTER SKIVING MACHINE (WITH BOOSTER CYLINDER) 削港宝机 (带增压缸)



Garbage collection device
吸尘箱



High precision skiving knife
高精度削皮刀



Feed wheel adjustment
送料轮调节



Electronic motor
电子马达



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 采用优质材料及零件, 所以具有较高的精度, 易操作、安全。
2. 本机附有自动吸尘装置和磨刀离合组, 使用便利, 平面削薄最大宽度可达50mm, 通过重复操作, 以达到所需要的宽度。
3. 广泛适用于各种皮革、人造皮革、橡皮港宝等材质的边缘削薄及平面削薄。

1. It uses high-quality materials and parts, so it has high precision, easy operation and safety.
2. This machine is equipped with a garbage collection device and a sharpening clutch group, which is easy to use. The maximum width of flat cutting can reach 50mm. Through repeated operations, the required width can be achieved.
3. Widely used for edge thinning and plane thinning of various leather, artificial leather, rubber and other materials.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	整机重量 Net weight	整机尺寸 Dimension
220V	650W	2500	8MM	100KG	120*53*115CM

JN-420

LEATHER SPLITTING MACHINE 片皮机

产品功能特点:

1. 数字显示片削厚度, 自动进刀定位装置, 无须调整刀具, 3500mm特长带刀不易损坏, 降低经营成本。
2. 独立的吸尘和磨刀粉尘吸尘装置, 特大飞轮带使运作更加稳定, 精准的轨道使更换带刀更加容易、快速、方便。
3. 片削不同的皮革, 厚薄可自由调节, 操作方便, 让工作更轻松。

1. Digital display of shaving thickness, automatic feed positioning device, no need to adjust the tool, 3500mm extra-long belt knife is not easy to damage, reducing operating costs.
2. Independent dust collection and sharpening dust collection device, extra-large flywheel belt makes operation more stable, and precise track makes changing the belt knife easier, faster and more convenient.
3. Slice different leathers, the thickness can be adjusted freely, easy to operate, making work easier.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	整机重量 Net weight	整机尺寸 Dimension
220V	3KW	2500	8MM	625KG	172*118*140CM

JN-50C

INTELLIGENT SPEED REGULATING PEELER 智能调速削皮机



Garbage collection device
吸尘箱



High precision skiving knife
高精削皮刀



Feed wheel adjustment
送料轮调节



Intelligent speed
regulating motor
智能调速马达



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 采用优质材料及零件, 所以具有较高的精度, 易操作、安全。
2. 本机附有自动吸尘装置和磨刀离合组, 使用便利, 平面削薄最大宽度可达50mm, 通过重复操作, 以达到所需要的宽度。
3. 广泛适用于各种皮革、人造皮革、橡皮等材质的边缘削薄及平面削薄。


1. It uses high-quality materials and parts, so it has high precision, easy operation and safety.
2. This machine is equipped with a garbage collection device and a sharpening clutch group, which is easy to use. The maximum width of flat cutting can reach 50mm. Through repeated operations, the required width can be achieved.
3. Widely used for edge thinning and plane thinning of various leather, artificial leather, rubber and other materials.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	整机重量 Net weight	整机尺寸 Dimension
220V	650W	2500	8MM	100KG	120*53*115CM

JN-105

GRAVITY FOAM CLIPPER 削泡棉机



High precision skiving knife
高精度削皮刀



Switch
控制开关



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 本机设计开发用途适用于各类鞋型部位，例如：鞋舌、翻口领、鞋口后套，羽片等所用泡棉的内外多角度斜削及打薄。
2. 容易操作使用、快速方便、节省人工成本、产量大幅度提高并切削泡棉平顺规格化。
3. 本机操作使用符合环保理念，切削材料清洁度提高，泡棉粉末少并附带泡棉吸尘功能。
4. 机器耐用，不易磨损，使用寿命长，可根据加工的泡棉厚薄宽窄及切削角度进行调整，可任意调整切削角度。

1. This machine is designed and developed for various shoe parts, such as tongue, collar, back cover, feathers, etc., for internal and external multi-angle beveling and thinning of foam.
2. Easy to operate, fast and convenient, save labor costs, greatly increase production and cut foam smoothly and standardized.
3. The operation and use of this machine conforms to the concept of environmental protection, the cleanliness of cutting materials is improved, the foam powder is less and it comes with a foam dust suction function.
4. The machine is durable, not easy to wear, and has a long service life. It can be adjusted according to the thickness, width and cutting angle of the processed foam, and the cutting angle can be adjusted arbitrarily.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	整机重量 Net weight	整机尺寸 Dimension
380V	1KW	2500	8MM	80KG	70*62*110CM

JN-2010G/3020G

COMPUTERIZED PATTERN SEWING MACHINE 电脑花样机




Intelligent touch screen
智能触摸屏




Electric control box
一体电控机箱



Imported hook, cutter
品牌旋梭、切刀



Imported belts
进口皮带



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 采用6.4英寸智能触摸显示屏，显示屏上可实现编程，修改图形及参数设置等条件操作，系统内可多种语言选择，方便出口国外用户操作学习。
2. 导轨和内皮带采用加宽加厚，提高耐磨性和稳定性，通过瞬间加速，高速缝纫，提高生产效率。
3. 一体机智能控制，使用更稳定，多台机器同版、同模、同程序等。
4. 电控系统可选配，方便工人操作。

1. It adopts a 6.4-inch smart touch display. Programming, graphics modification, parameter setting and other conditional operations can be implemented on the display. Multiple languages can be selected in the system to facilitate operation and learning for overseas users.
2. The guide rails and inner belts are widened and thickened to improve resistance to damage and stability, and improve production efficiency through instant acceleration and high-speed sewing.
3. All-in-one machine intelligent control, more stable use, multiple machines have the same version, same model, same program, etc.
4. The electric control system is optional, which is convenient for workers to operate.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	缝制范围 Sewing range	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	1KW	3000	18MM	300*200MM	50MM	DP*17	有 (Yes)	有 (Yes)	有 (Yes)	145KG	115*118*110CM

JN-6040G

COMPUTERIZED PATTERN SEWING MACHINE 电脑花样机




Intelligent touch screen
智能触摸显示屏




Electric control box
一体电控机箱



Imported hook, cutter
品牌旋梭、切刀



Imported belts
进口皮带



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 采用6.4英寸智能触摸显示屏，显示屏上可实现编程，修改图形及参数设置等条件操作，系统内可多种语言选择，方便出口国外用户操作学习。
2. 导轨和内皮带采用加宽加厚，提高耐磨性和稳定性，通过瞬间加速，高速缝纫，提高生产效率。
3. 一体机智能控制，使用更稳定，多台机器同版、同模、同程序等。

1. It adopts a 6.4-inch smart touch display. Programming, graphics modification, parameter setting and other conditional operations can be implemented on the display. Multiple languages can be selected in the system to facilitate operation and learning for overseas users.
2. The guide rails and inner belts are widened and thickened to improve resistance to damage and stability, and improve production efficiency through instant acceleration and high-speed sewing.
3. All-in-one machine intelligent control, more stable use, multiple machines have the same version, same model, same program, etc.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	缝制范围 Sewing range	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	1KW	3000	18MM	600*400MM	50MM	DP*17	有 (Yes)	有 (Yes)	有 (Yes)	230KG	127*120*130CM

JN-326G

COMPUTERIZED PATTERN SEWING MACHINE WITH APTIONAL SCANNER 兄弟款电脑花样机加扫描功能




Intelligent touch screen
智能触摸显示屏




Electric control box
一体电控机箱



Imported belts
进口皮带



Imported hook, cutter
品牌旋梭、切刀



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 采用6.4英寸智能触摸显示屏，显示屏上可实现编程，修改图形及参数设置等条件操作，系统内可多种语言选择，方便出口国外用户操作学习。
2. 导轨和内皮带采用加宽加厚，提高耐磨性和稳定性，通过瞬间加速，高速缝纫，提高生产效率。
3. 一体机智能控制，使用更稳定，多台机器同版、同模、同程序等。
4. 内置多种语言，如中文，英文，越南文等。

1. It adopts a 6.4-inch smart touch display. Programming, graphics modification, parameter setting and other conditional operations can be implemented on the display. Multiple languages can be selected in the system to facilitate operation and learning for overseas users.
2. The guide rails and inner belts are widened and thickened to improve resistance to damage and stability, and improve production efficiency through instant acceleration and high-speed sewing.
3. All-in-one machine intelligent control, more stable use, multiple machines have the same version, same model, same program, etc.
4. Built-in multiple languages, such as Chinese, English, Vietnamese, etc.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	缝制范围 Sewing range	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	1KW	2500	18MM	220*100MM	50MM	DP*17	有 (Yes)	有 (Yes)	有 (Yes)	145KG	115*54*110CM

JN-342G

COMPUTERIZED PATTERN SEWING MACHINE WITH APTIONAL SCANNER 兄弟款电脑花样机加扫描功能



Intelligent touch screen
智能触摸显示屏




Electric control box
一体电控机箱



Imported belts
进口皮带



Imported hook, cutter
品牌旋梭、切刀



Reproduction diagram
效果图



Reproduction diagram
效果图



产品功能特点:

1. 采用6.4英寸智能触摸显示屏，显示屏上可实现编程，修改图形及参数设置等条件操作，系统内可多种语言选择，方便出口国外用户操作学习。
2. 导轨和内皮带采用加宽加厚，提高耐磨性和稳定性，通过瞬间加速，高速缝纫，提高生产效率。
3. 一体机智能控制，使用更稳定，多台机器同版、同模、同程序等。
4. 内置多种语言，如中文，英文，越南文等。

1. It adopts a 6.4-inch smart touch display. Programming, graphics modification, parameter setting and other conditional operations can be implemented on the display. Multiple languages can be selected in the system to facilitate operation and learning for overseas users.
2. The guide rails and inner belts are widened and thickened to improve resistance to damage and stability, and improve production efficiency through instant acceleration and high-speed sewing.
3. All-in-one machine intelligent control, more stable use, multiple machines have the same version, same model, same program, etc.
4. Built-in multiple languages, such as Chinese, English, Vietnamese, etc.

电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	缝制范围 Sewing range	针杆行程 Needle Stroke	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	1KW	2500	18MM	300*200MM	50MM	DP*17	有 (Yes)	有 (Yes)	有 (Yes)	145KG	115*118*110CM

JN-6090

COMPUTERIZED CUTTING PLATE MACHINE 电脑割板机



Circulation water pipe
循环出水管



Drill
钻头



Machine head
机头



Reproduction diagram
效果图



Reproduction diagram
效果图



产品功能特点:

1. 适用于各种塑料板切割，模具制作，噪音小，无尘，快速切割。
2. 操作系统简单易懂，是电脑花样机制作夹具的必须选择。
3. 最大工作范围：600*900MM

1. Suitable for cutting various plastic plates and making molds, low noise, dust-free, and fast cutting.
2. The operating system is simple and easy to understand, and it is a must for making computer pattern machine sewing molds.
3. The maximum working range is: 600*900MM

电压 Voltage	功率 Power	转速 Speed (s.p.m)	整机重量 Net weight	整机尺寸 Dimension
220V	1KW	2800-5000	300KG	140*120*155CM

JN-1500

FLAT BED FOUR NEEDLES SIX THREAD SEWING MACHINE 平板四针六线



Presser foot image
压脚图片



Machine head
机头



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 采用钩针结构, 免除经常更换底线的麻烦, 并减少人工的浪费, 提高缝制效率。
2. 采用全自动加油系统, 降低车缝时所产生的噪音和减少零部件的磨损且易于保养,
3. 采用优良的结构设计, 可以灵活车缝多样化的物料。

1. The crochet structure eliminates the trouble of frequently changing the bottom line, reduces labor waste, and improves sewing efficiency.
2. The fully automatic oiling system is used to reduce the noise generated during sewing and the wear of parts and is easy to maintain.
3. The excellent structural design allows for flexible sewing of a variety of materials.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	550W	3500	17MM	DV*43	无 (No)	无 (No)	无 (No)	70KG	120*54*130CM

JN-5200S

SMALL MOUTH STRAIGHT ARM SEWING MACHINE 小嘴直臂四针六线机



Adjust feed differential
调节送料差动




Servo direct drive motor
伺服直驱电机




Intelligent electric box
智能电控箱



Size: 55mm, 50mm
尺寸: 55mm, 50mm



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 本机采用特殊传动机构设计, 驱动线轴与针杆驱动轴产生车缝交织动作, 设计成熟稳定, 厚薄材料都能适用。
2. 采用大功率直驱电机驱动, 机器震动小, 操作舒适, 故障率低。
3. 智能数字电控机箱, 可调节机器速度和定位, 提升工作效率。
4. 可调式前后差动送料齿设计, 使车缝材料更平整, 线迹美观。
5. 带自动抬压脚功能。
6. 本机适用于服装, 箱包, 鞋类等材料的缝制, 应用广泛。

1. This machine adopts a special transmission mechanism design, the drive line shaft and the needle bar drive shaft produce sewing interlaced action, the design is mature and stable, and it can be applied to thick and thin materials.
2. It adopts a high-power direct drive motor drive, the machine has small vibration, comfortable operation and low failure rate.
3. The intelligent digital electronic control chassis can adjust the machine speed and positioning to improve work efficiency.
4. The adjustable front and rear differential feed tooth design makes the sewing material smoother and the stitches beautiful.
5. With automatic presser foot lifting function.
6. This machine is suitable for sewing clothing, bags, shoes and other materials, and is widely used.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	550W	3500	10MM	DV*43	有 (Yes)	无 (No)	无 (No)	70KG	120*54*130CM

JN-1600S

SMALL MOUTH CYLINDR BED FOUR NEEDLE SIX THREAD SEWING MACHINE 小嘴横管四针六线机



Presser foot image
压脚图片



Machine head
机头



Size: 90mm, 60mm
嘴巴尺寸: 90mm, 60mm



Direct drive motor
直驱马达

产品功能特点:

1. 采用钩针结构, 免除经常更换底线的麻烦, 并减少人工的浪费, 提高缝制效率。
2. 采用全自动加油系统, 降低车缝时所产生的噪音和减少零部件的磨损且易于保养,
3. 采用优良的结构设计, 可以灵活车缝多样化的物料。

1. The crochet structure eliminates the trouble of frequently changing the bottom line, reduces labor waste, and improves sewing efficiency.
2. The fully automatic oiling system is used to reduce the noise generated during sewing and the wear of parts and is easy to maintain.
3. The excellent structural design allows for flexible sewing of a variety of materials.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	550W	3500	17MM	UY128GA5	无 (No)	无 (No)	无 (No)	80KG	120*54*135CM

JN-7200

FOUR NEEDLE AND SIX THREADS POST BED MACHINE 直驱立柱四针六线机



Presser foot picture
压脚图片




Intelligent electric box
智能电控箱



Direct drive motor
直驱电机



Post bed picture
立柱座图片



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 本机采用特殊传动机构设计, 驱动线轴与针杆驱动轴产生车缝交织动作, 设计成熟稳定, 厚薄材料都能适用。
2. 采用大功率直驱电机驱动, 机器震动小, 操作舒适, 故障率低。
3. 智能数字电控机箱, 可调节机器速度和定位, 提升工作效率。
4. 可调式前后差动送料齿设计, 使车缝材料更平整, 线迹美观。
5. 带自动抬压脚功能。
6. 本机适用于服装, 箱包, 鞋类等材料的缝制, 应用广泛。

1. This machine adopts a special transmission mechanism design, the drive line shaft and the needle bar drive shaft produce sewing interlaced action, the design is mature and stable, and it can be applied to thick and thin materials.
2. It adopts a high-power direct drive motor drive, the machine has small vibration, comfortable operation and low failure rate.
3. The intelligent digital electronic control chassis can adjust the machine speed and positioning to improve work efficiency.
4. The adjustable front and rear differential feed tooth design makes the sewing material smoother and the stitches beautiful.
5. With automatic presser foot lifting function.
6. This machine is suitable for sewing clothing, bags, shoes and other materials, and is widely used.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	750W	3500	8MM	UV*128	无 (No)	无 (No)	无 (No)	90KG	120*55*130CM

JN-17/27/37

SHELL STITCH OVERLOCK SEWING MACHINE 贝壳机



Presser foot image
压脚图片



Machine head
机头



Manual presser foot lift
手动抬压脚



Electronic motor
电子马达



Reproduction diagram
效果图




Reproduction diagram
效果图

产品功能特点:

1. 采用钩针结构, 免除经常更换底线的麻烦, 并减少人工的浪费, 提高缝制效率。
2. 适用于皮料、布料等花边工艺车缝。
3. 通过调节不同针位变化不同线迹。

1. The crochet structure eliminates the trouble of frequently changing the bottom line, reduces labor waste, and improves sewing efficiency.
2. Suitable for lace sewing of leather, cloth, etc.
3. Different stitches can be changed by adjusting different needle positions.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	抬压脚高度 Lift of the foot presser	针 Needle	自动抬压脚 Automatic presser foot lifting	自动剪线 Automatic under trimming	自动倒针 Automatic back tracking	整机重量 Net weight	整机尺寸 Dimension
220V	650W	3500	6MM	DM*5	无 (No)	无 (No)	无 (No)	60KG	120*54*130CM

JN-319

TWO COLD AND TWO HOT COUNTER MOULDING MACHINE 双冷双热后踵定型机



Adjust feed differential
调节送料差动



Servo direct drive motor
私服直驱电机



Adjustment switch
调节开关



Air pressure
气压

产品功能特点:

1. 升级改进的SC319热模+热/冷后踵定型机取得了立体感更强, 外形设计更合理的效果, 特别是改进了操作者界面, 使用起来更方便快捷。
2. 操作者可通过操控面板设定机器任意工作环境的参数值, 热模和冷模的温度; 不正确操作时机器会发出警告。
3. 冷模通常根据客户楦头配型; 内外模, 扫刀及夹爪全部可调整; 配十字投影机或带扫刀的气动鞋面模具定位装置。

1. The upgraded and improved SC319 hot mold + hot/cold heel shaping machine has achieved a stronger three-dimensional effect and a more reasonable appearance design. In particular, the operator interface has been improved, making it more convenient and quick to use.
2. The operator can set the parameter value of any working environment of the machine, the temperature of the hot mold and the cold mold through the control panel; the machine will issue a warning when the operation is incorrect.
3. The cold mold is usually matched according to the customer's last; the inner and outer molds, the sweeper and the clamping claws are all adjustable; equipped with a cross projector or a pneumatic upper mold positioning device with a sweeper.



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
220V	2.7KW	1100 双 (Pairs)/8H	550KG	85*146*200CM

JN-361

TWO COLD TWO HOT VAMP SHAPING MACHINE 双冷双热鞋头定型机



Cold pressing area



Hot pressing area
热压区



Temperature gauge
温度表



Switch
开关



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 适用于各种材质的定型；热模的上下模可同时加热蒸汽软化鞋面，使鞋面更加贴合，冷模夹具使用铁氟龙束带组配合楦头模，定型效果完美。
2. 楦头及铁氟龙束带组可依照客人要求进行制作，采用水冷式冷冻系统，制冷速度快，效果好，冷冻温度可达到-30° C。

1. Suitable for shaping of various materials; the upper and lower molds of the hot mold can heat the steam to soften the upper at the same time, making the upper more fit; the cold mold fixture uses a Teflon strap set with a last mold, and the shaping effect is perfect
2. The last and Teflon strap set can be made according to customer requirements, using a water-cooled refrigeration system, with fast refrigeration speed and good effect, and the freezing temperature can reach -30° C.



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
220V	4.5KW	1200 双 (Pairs)/8H	260KG	108*82*175CM

JN-668A

3D BOOT UPPER MOLDING MACHINE 3D 靴面定型机

产品功能特点:

1. 集三功能于一身，同时对鞋面进行缝纫、定型、贴合和压合，使鞋面与鞋楦完美贴合。
2. 定型后无需二次修边，定型后鞋面不会变形，模具通用，适用于各种男、女、童鞋面。
3. 机器调节方便，无需夹钳，定型效果好，定型时间短，有效提高产能，本机适用于鞋面、马靴、靴片、凉鞋等。

1. Set three functions in one, at the same time for the sewing of the shoe upper warp shape, fit and press, so that the shoe upper and last perfect fit.
2. No need for a second trim after setting, after shiaping, the upper will not deform, mold universal, suitable for all kind of men, women, children's sho upper.
3. Easy machine adjustment, no need to clamp, perfect stereotyping effect, short stereotyping time, effectively improve production capacity, this mchine id suitable upper, riding boots, pieces and sandals.



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
220V	1.2KW	1100 双 (Pairs)/8H	550KG	85*146*200CM

JN-330A/B

UPPER MOULDING MACHINE (COLD/HOT) 靴面定型机 (冷/热)

产品功能特点:

1. 可加工定型皮革或合成皮革等多种材质, 使用夹模机构可使皮革定型时各部分均衡撑开, 减少不良产品产生。
2. 使用电热加温, 气压操作, 调节简易; 使用冷冻降温, 使鞋面定型后不易变形, 让鞋面定型效果更佳。

1. It can process various materials such as shaped leather or synthetic leather. The clamping mechanism can make the leather parts evenly stretched when shaping, reducing the production of defective products.
2. It uses electric heating and air pressure operation, which is easy to adjust; it uses freezing to cool down, so that the upper is not easy to deform after shaping, making the upper shaping effect better.



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
220V	2.8KW	1200 双 (Pairs)/8H	360KG	112*97*200CM

JN-922

SWING ARM CUTTING MACHINE 摇臂裁断机

产品功能特点:

1. 摇臂的旋转灵活自如, 操作和材料选择都很方便。
2. 采用高品质的无缝钢管并将其加工成立柱, 立柱通过顶部和底部的孔洞支撑, 以确保上部分摇臂能够灵活且具有良好可靠性。
3. 开关需要双手同时操作, 确保了操作人员的安全, 通过顶部手轮可以调节摇杆的位置, 通过定时器来调整切割行程, 这样就能轻松实现最佳切割位置, 从而提高工作效率并延长冲床和缓冲板的使用寿命。

1. The rocker arm rotates flexibly, and the operation and material selection are convenient.
2. High-quality seamless steel pipes are used and processed into columns. The columns are supported by holes at the top and bottom to ensure that the upper rocker arm can be flexible and has good reliability.
3. The switch requires both hands to operate at the same time, ensuring the safety of the operator. The position of the rocker can be adjusted through the top handwheel, and the cutting stroke can be adjusted through the timer, so that the best cutting position can be easily achieved, thereby improving work efficiency and extending the service life of the punch and buffer plate.



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
220V	2.2KW	1100 双 (Pairs)/8H	650KG	85*146*200CM

JN-525

HYDRAULIC PLANE CUTTING MACHINE 平面裁断机



Presser foot image
压脚图片



Machine head
机头



Manual presser foot lift
手动抬压脚



Electronic motor
电子马达

产品功能特点:

1. 本机配置了中央供油润滑系统以及集油、回油和过滤系统，能够充分润滑主轴并延长机器使用寿命。
2. 裁断机工作面积较大能支持大尺寸的材料裁切，刀具的切削深度设定简单，切削效果好。
3. 特殊规格的产品需要定制。

1. This machine is equipped with a central oil supply lubrication system as well as an oil collection, oil return and filtration system, which can fully lubricate the spindle and extend the service life of the machine.
2. The cutting machine has a large working area and can support the cutting of large-sized materials. The cutting depth of the tool is easy to set and the cutting effect is good.
3. Products with special specifications need to be customized.



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
380V	3.75KW	1200 片 (Pcs)/8H	1500KG	198*67*164CM

JN-588

MOVING HEAD CUTTING MACHINE 移动头裁断机

产品功能特点:

1. 本机移动头高速运转，确保快速操作和高产量。
2. 移动头具有强有力的动态刹车系统，能够快速停止，减少能源消耗。
3. 框架极其坚固耐用，配上高品质的零配件，可以减少机器损耗及保养需求。
4. 使用成型刀模对非金属物料进行连续冲压裁剪工作，可应用于手袋，箱包，制鞋，医药等非金属物料裁切的行业。


1. The moving head of this machine runs at high speed, ensuring fast operation and high output.
2. The moving head has a powerful dynamic brake system that can stop quickly and reduce energy consumption.
3. The frame is extremely sturdy and durable, and equipped with high-quality spare parts, it can reduce machine wear and maintenance requirements.
4. The forming die is used to continuously punch and cut non-metallic materials, which can be applied to industries such as handbags, luggage, shoemaking, and medicine that cut non-metallic materials.



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
380V	4KW	1100 片 (Pcs)/8H	650KG	226*78*200CM

JN-309

AUTOMATIC EYELETING MACHINE 全自动鸡眼机



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 适用于各类皮革腰带，鞋面及铆钉连接。
2. 采用自动进料方式，配有鸡眼自动进料装置。

1. Suitable for all kinds of leather belts, shoe uppers and rivet connections.
2. Automatic feeding method is adopted, equipped with automatic eyelet feeding device.




电压 Voltage	功率 Power	钉眼次数 Number of nail eyes	整机重量 Net weight	整机尺寸 Dimension
220V	370W	110 次 (times)/分钟 (min)	300KG	62*77*158CM

JN-308

AUTOMATIC PUNCHING AND NAILING BUTTON MACHINE 自动冲孔钉扣机



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 本机适用于鞋类、服饰、皮革制品、纸袋等行业的单，双面的铆接工作，闭合，冲孔，铆接一次完成。
2. 本机采用智能伺服电机控制，待机的情况下主电机不会启动，转速约为传统变频电机转速的2倍，具有高速和节能的优点。
3. 冲孔和铆接在同一工位完成，孔位定位迅速且精准，按钮间距可任意设定，噪音低，极大程度的提高了产品的合格率。
4. 本机设计精巧，模具与铆钉模具均有进口高强度的合金材料制成，不易磨损，无需专业培训即可操作。
5. 计数功能便于统计产量，手动功能操作方便，模具调整容易，表面，底面，流道的锁紧装置速度调节灵活。

1. This machine is suitable for single-sided and double-sided riveting work in industries such as footwear, clothing, leather products, and paper bags. Closing, punching, and riveting are completed at one time.
2. This machine adopts intelligent servo motor control. The main motor will not start when in standby mode. The speed is about twice that of the traditional variable frequency motor, with the advantages of high speed and energy saving.
3. Punching and riveting are completed at the same station, the hole positioning is fast and accurate, the button spacing can be set arbitrarily, the noise is low, and the qualified rate of the product is greatly improved.
4. This machine is exquisitely designed. The mold and rivet mold are made of imported high-strength alloy materials, which are not easy to wear and can be operated without professional training.
5. The counting function is convenient for counting production, the manual function is easy to operate, the mold is easy to adjust, and the locking device speed of the surface, bottom surface, and runner is flexible.




电压 Voltage	功率 Power	钉眼次数 Number of nail eyes	整机重量 Net weight	整机尺寸 Dimension
220V	550W	220 次 (times)/分钟 (min)	250KG	85*58*156CM

JN-610Y

AUTOMATIC FOLDING MACHINE 全自动异形折边机



Intelligent touch screen
智能触摸屏




Can change the mold
可更换模具



Display & adjust air pressure
显示和调节气压



Electric control box
电控箱



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 此机器适用于各种折边用途广泛，可折直角/圆角及异形形状外框折边。
2. 带有安全保护装置，杜绝意外的发生，安全可靠。
3. 气压工作方式，操作简便速度快，无需熟手，节省人工成本，可大幅度提高产量且折出效果统一规范美观。

1. This machine is suitable for a wide range of folding purposes, and can fold right angles/rounded corners and special-shaped outer frame edges.
2. With safety protection devices to prevent accidents, safe and reliable.
3. Air pressure working mode, easy to operate and fast, no need for skilled hands, saving labor costs, can greatly increase production and the folding effect is unified, standardized and beautiful.

可根据需要定制不同的模具。

Different molds can be customized according to needs.



电压 Voltage	功率 Power	机器压料时长 Machine pressing time	整机重量 Net weight	整机尺寸 Dimension
220V	370W	2s/个 (Pc)	300KG	62*77*158CM

JN-9058

3 AXIS COMPUTER NUMRICAL CONTROL GLUE SPRAYING MACHINE 3轴电脑数控喷胶机

产品功能特点:

1. 提高生产效率，喷胶速度快，相当于2-7人的工作量，让生产输送带的输送效率大幅度提高。
2. 节省胶水，采用雾化胶水喷头，垂直喷洒胶水，喷洒均匀，胶水厚度可调节，适用于各种复杂不规则图形的喷涂，能更换喷头对更大面积的材料进行喷涂，与传统共喷胶相比，大约节省50%的胶水量。
3. 强大的吸风系统，能够将漂浮于空中的胶水吸走，减少空气污染。
4. 有效工作范围为900*580MM，适用的胶水有：强力胶、白胶、水性胶、油性胶；适用于电子产品保护壳、钱包、手袋、行李箱、鞋子、腰带、包装盒等各类工业材料的喷涂。

1. Improve production efficiency, fast glue spraying speed, equivalent to the workload of 2-7 people, and greatly improve the conveying efficiency of the production conveyor belt during class hours.
2. Save glue, use atomized glue nozzle, spray glue vertically, spray evenly, and the glue thickness is adjustable. It is suitable for spraying various complex and irregular graphics. The nozzle can be replaced to spray a larger area of material. Compared with traditional search and spray glue, it saves about 50% of the glue.
3. The powerful suction system can absorb the glue floating in the air and reduce air pollution.
4. The effective working range is 900*580MM. The applicable glues are: super glue, white glue, water-based glue, oil-based glue; suitable for spraying various industrial materials such as electronic product protective shells, wallets, handbags, suitcases, shoes, belts, packaging boxes, etc.

可根据客户的要求定制不同的规格

Different specifications can be customized according to customer requirements



电压 Voltage	功率 Power	工作范围 Scope of work	喷涂宽度 Spraying width	整机重量 Net weight	整机尺寸 Dimension
220V	5KW	90*58CM	5-20MM	180KG	135*115*135CM

JN-202A

COMPUTER AUTOMATIC TONGUE TURNING MACHINE 电脑自动翻鞋舌机

产品功能特点:

1. 电脑自动翻鞋舌机，是一款鞋舌翻折及角度打开的机器，PLC控制的电动脚踏，且该装置拥有其他功能。
2. 圆柱形尺寸和弹出宽度可根据鞋舌宽度进行设定，降低传统手工操作的难度，使产量提高50%，鞋舌能够更加轻松的进行翻转，不会损坏鞋舌让其开裂，降低工厂成本，也为操作员带来更大的便利。
3. 高效、环保、占地面积小、易于移动。

1. Computer automatic tongue flipping machine is a machine for folding and opening the tongue, with a PLC-controlled electric pedal and other functions.
2. The cylindrical size and pop-up width can be set according to the tongue width, reducing the difficulty of traditional manual operation and increasing the output by 50%. The tongue can be turned more easily without damaging the tongue and causing it to crack, reducing factory costs and bringing greater convenience to the operator.
3. High efficiency, environmental protection, small footprint, and easy to move.



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
220V	370W	5000Pcs/8H	65KG	75*42*138CM

JN-961

SINGLE HEAD AUTOMATIC LABEL IRONING MACHINE 单头自动烫标机

产品功能特点:

1. 本机全部采用进口电气元件和气动配件，控制系统采用PLC和触摸屏；温度控制系统采用PID温度模块和触摸屏连接，无需再安装其他的温度控制器，温度控制精准，温差小。
2. 机器自动吸附商标，自动贴标，无需人工操作，质量稳定、性能卓越、速度快。
3. 适用范围广，鞋类、皮革制品、服装、箱包等行业商标热压。

1. This machine uses all imported electrical components and pneumatic accessories, and the control system uses PLC and touch screen; the temperature control system uses PID temperature module and touch screen connection, no need to install other temperature controllers, precise temperature control, small temperature difference.
2. The machine automatically absorbs the trademark and automatically labels, no manual operation is required, stable quality, excellent performance, and fast speed.
3. Wide range of applications, hot pressing of trademarks in industries such as footwear, leather products, clothing, and luggage



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
220V	550W	5000Pcs/H	98KG	65*64*142CM

JN-962

DOUBLE HEAD AUTOMATIC LABEL IRONING MACHINE 双头自动烫标机

产品功能特点:

1. 本机全部采用进口电气元件和气动配件，控制系统采用PLC和触摸屏；温度控制系统采用PID温度模块和触摸屏连接，无需再安装其他的温度控制器，温度控制精准，温差小。
2. 机器自动吸附商标，自动贴标，无需人工操作，质量稳定、性能卓越、速度快，双头烫标，工作效率更高。
3. 适用范围广，鞋类、皮革制品、服装、箱包等行业商标热压。

1. This machine uses all imported electrical components and pneumatic accessories, and the control system uses PLC and touch screen; the temperature control system uses PID temperature module and touch screen connection, no need to install other temperature controllers, precise temperature control, small temperature difference.
2. The machine automatically absorbs the trademark and automatically labels, no manual operation is required, stable quality, excellent performance, and fast speed, Double-head hot labeling, higher work efficiency.
3. Wide range of applications, hot pressing of trademarks in industries such as footwear, leather products, clothing, and luggage



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
220V	800W	8000Pcs/8H	125KG	64*54*142CM

JN-963

AUTOMATIC LABEL TRANSFER MACHINE 自动转印机

产品功能特点:

1. 本机全部采用进口电气元件和气动配件，控制系统采用PLC和触摸屏；温度控制系统采用PID温度模块和触摸屏连接，无需再安装其他的温度控制器，温度控制精准，温差小。
2. 在没有物料的情况下，熨烫模具会自动停止熨烫动作。
3. 适用范围广，鞋类、皮革制品、服装、箱包等行业商标热压。

1. This machine uses all imported electrical components and pneumatic accessories, and the control system uses PLC and touch screen; the temperature control system uses PID temperature module and touch screen connection, no need to install other temperature controllers, precise temperature control, small temperature difference.
2. When there is no material, the ironing mold will stop automatically.
3. Wide range of applications, hot pressing of trademarks in industries such as footwear, leather products, clothing, and luggage



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
220V	850W	6000Pcs/H	128KG	85*68*143CM

JN-964

AUTOMATIC DISC IRONING MACHINE 自动圆盘烫标机

产品功能特点:

1. 本机全部采用进口电气元件和气动配件，控制系统采用PLC和触摸屏。
2. 自动送料，自动接收，带有吸气装置的传送带，定位迅速，对物料形状无要求，物料也可按照需要进行堆叠，效率高，节省人力，无噪音。
3. 适用范围广，鞋类、皮革制品、服装、箱包等行业商标热压。

1. This machine uses all imported electrical components and pneumatic accessories, and the control system uses PLC and touch screen.
2. Automatic feeding, automatic receiving, conveyor belt with suction device, rapid positioning, no requirements for material shape, materials can also be stacked as needed, high efficiency, labor saving, no noise.
3. Wide range of applications, hot pressing of trademarks in industries such as footwear, leather products, clothing, and luggage.



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
220V	1.6KW	10000Pcs/8H	310KG	132*153*145CM

JN-965

AUTOMATIC TRANSFER PRINTING MACHINE 自动传送印刷机

产品功能特点:

1. 本机全部采用进口电气元件和气动配件，控制系统采用PLC和触摸屏。
2. 自动送料，自动接收，带有吸气装置的传送带，定位迅速，对物料形状无要求，物料也可按照需要进行堆叠，效率高，节省人力，无噪音。
3. 适用范围广，鞋类、皮革制品、服装、箱包等行业商标热压。

1. This machine uses all imported electrical components and pneumatic accessories, and the control system uses PLC and touch screen.
2. Automatic feeding, automatic receiving, conveyor belt with suction device, rapid positioning, no requirements for material shape, materials can also be stacked as needed, high efficiency, labor saving, no noise.
3. Wide range of applications, hot pressing of trademarks in industries such as footwear, leather products, clothing, and luggage.



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
380V	2.2KW	8000Pcs/H	600KG	152*172*130CM

JN-5000XL

5KW PNEUMATIC HIGH FREQUENCY MACHINE 5KW气动高周波机



Switch
控制开关



Working head
工作头



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 两个工作位置有各种的脚踏控制器，高频焊接可以很好的应对各种难以解决工艺的产品，同时乐意根据压力需求调节气动装置。
2. 使用真空管时，输出功率稳定，性能良好，凭借高灵敏的火花过电流保护电路，能够有效的切断电流输出过大造成的损害并抑制火花现象。
3. 配备了高频稳定器和屏蔽装置，能够减少噪音干扰，采用了进口电子元件，性能稳定，使用寿命长。

1. There are various foot controllers in the two working positions. High-frequency welding can cope with various products that are difficult to solve the process. At the same time, the pneumatic device can be adjusted according to the pressure requirements.
2. When using vacuum tubes, the output power is stable and the performance is good. With the highly sensitive spark overcurrent protection circuit, it can effectively cut off the damage caused by excessive current output and suppress spark phenomenon.
3. Equipped with a high-frequency stabilizer and shielding device, it can reduce noise interference. It uses imported electronic components, stable performance and long service life.



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
380V	5KW	8000Pcs/8H	500KG	115*170*170CM

JN-8000XL

8KW HYDRAULIC HIGH FREQUENCY MACHINE 8KW油压高周波机



Switch
控制开关



Working head
工作头



Motor
马达



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 两个工作位置有各种的脚踏控制器，高频焊接可以很好的应对各种难以解决工艺的产品，同时乐意根据压力需求调节气动装置。
2. 使用真空管时，输出功率稳定，性能良好，凭借高灵敏的火花过电流保护电路，能够有效的切断电流输出过大造成的损害并抑制火花现象。
3. 配备了高频稳定器和屏蔽装置，能够减少噪音干扰，采用了进口电子元件，性能稳定，使用寿命长。

1. There are various foot controllers in the two working positions. High-frequency welding can cope with various products that are difficult to solve the process. At the same time, the pneumatic device can be adjusted according to the pressure requirements.
2. When using vacuum tubes, the output power is stable and the performance is good. With the highly sensitive spark overcurrent protection circuit, it can effectively cut off the damage caused by excessive current output and suppress spark phenomenon.
3. Equipped with a high-frequency stabilizer and shielding device, it can reduce noise interference. It uses imported electronic components, stable performance and long service life.



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
380V	8KW	8500Pcs/H	550KG	123*185*170CM

JN-318

DOUBLE STATION HOT PRESSING MACHINE 单边双岗位自动送料热压机




Machine control panel
机器控制面板



Start switch
启动开关



Emergency stop button
紧急停止按钮



Hot pressing table
热压工作台

产品功能特点:

1. 本机上部分的铝制模具安装有电加热片，铝制模具表面贴有四氟乙烯薄膜，这样的处理产品效果更加显著，效率更高。
2. 本机适用于压花成型和热熔胶粘合，适用于生产线，样品室，注塑生产线配套设备。
3. 双工位设置，提高工作效率。


1. The upper aluminum mold of this machine is equipped with an electric heating plate, and the surface of the aluminum mold is covered with a tetrafluoroethylene film. This treatment product has a more significant effect and higher efficiency.
2. This machine is suitable for embossing and hot melt adhesive bonding, and is suitable for production lines, sample rooms, and injection molding production line supporting equipment.
3. Double working station, higher work efficiency.



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
220V	6KW	5000Pcs/8H	300KG	80*60*135CM

JN-325

MULTI-POSITION PUNCHING MACHINE 多针位冲孔机



Swing upper arm
摇摆上臂



Switch
开关



Reproduction diagram
效果图



Reproduction diagram
效果图

产品功能特点:

1. 多针位冲孔机是节能且环保的，拥有可冲压三吨重的增压气缸。
2. 可提高产量，提高精度，可随意调整冲针的间距。

1. The multi-pin punching machine is energy-saving and environmentally friendly, with a pressurized cylinder that can punch three tons.
2. It can increase production, improve accuracy, and adjust the spacing of the punching needles at will.



电压 Voltage	功率 Power	产量 Production	整机重量 Net weight	整机尺寸 Dimension
220V	1KW	6000Pcs/H	150KG	80*63*198CM

JN-808A/B

WATER BASE GLUE SPRAYING MACHINE 水性胶喷胶机



Machine control panel
机器控制面板



Spray gun
喷枪



Foot control
脚踏控制



Glue pressure tank
胶水压力罐

产品功能特点:

1. 本机将水性胶倒进压力罐中，通过压力将胶水均匀的喷洒出来，快捷方便，喷枪可以调节压力大小，调整胶水出胶量，出胶量均匀，节约成本。
2. 适用于鞋面内里、套头、皮箱、皮包、皮带等皮类及相关制造行业。

1. This machine pours water-based glue into the pressure tank and sprays the glue evenly through pressure. It is quick and convenient. The spray gun can adjust the pressure and the amount of glue. The glue output is uniform and saves costs.
2. It is suitable for leather products such as shoe lining, trousers, suitcases, bags, belts, etc. and related manufacturing industries.



电压 Voltage	胶水 Glue	气压 Air pressure	整机重量 Net weight	整机尺寸 Dimension
220V	天然胶 (Natural glue) 水性胶 (Water-based glue)	4.5KG	20KG	85*46*98CM

JN-898/898A

HOT MELT GLUE EDGE CEMENTING MACHINE 热熔胶边缘上胶机

产品功能特点:

1. 安全、出胶量均匀，不滴胶，不漏胶，代替传统的双面胶，避免不必要的离型纸，减少垃圾的产生，折边上胶，代替刷胶
2. 材料无论是不规则或弯曲或平面都可以沿边均匀上胶，可视材料薄厚，任意调节上胶宽度，速度和出胶量，涂胶宽度为4-12mm，滚轮可供选择。

1. Safe, uniform glue output, no glue leakage, no glue exposure, replaces traditional double-sided tape, avoids unnecessary release paper, reduces garbage generation, and glues on the folded edge instead of brushing glue.
2. Whether the material is irregular, curved or flat, it can be glued evenly along the edge. The gluing width, speed and glue output can be adjusted arbitrarily according to the thickness of the material. The gluing width is 4-12mm, and rollers are available.



电压 Voltage	功率 Power	气压 Air pressure	整机重量 Net weight	整机尺寸 Dimension
220V	1.4KW	4.5KG	28KG	30*46*57CM

JN-899

DOUBLE SIDES HOT MELT SPRAYING MACHINE 双头热熔喷胶机



Machine control panel
机器控制面板



Glue outlet
胶水出口



Air pressure
气压



Foot control
脚踏控制

产品功能特点:

1. 本机送胶采用独特设计，保证胶水与空气隔离避免氧化，采用两段式过滤装置，减少喷嘴堵塞现象。
2. 本机使用热熔胶进行喷涂，喷涂范围容易操作，喷胶力度强劲，速度快，稳定均匀。

1. The glue feeding of this machine adopts a unique design to ensure that the glue is isolated from the air to avoid oxidation, and adopts a two-stage filtering device to reduce nozzle clogging.
2. This machine uses hot melt glue for spraying. The spraying range is easy to operate, the glue spraying force is strong, the speed is fast, and it is stable and uniform.



电压 Voltage	功率 Power	气压 Air pressure	整机重量 Net weight	整机尺寸 Dimension
220V	2.6KW	4.5KG	52KG	88*46*55CM

JN-861

HOT MELT GLUE COATING MACHINE 热熔胶过胶机



Workbench
工作台



Scroll wheel
滚轮



Control panel
控制面板

产品功能特点:

1. 本机为小面积平面材料上胶，根据产品需求和材质的不同，上胶胶量的厚薄均可进行调整。
2. 上胶宽度可根据产品宽度定制，我们生产的常规可分为200mm，300mm，400mm，600mm，1000mm 5种标准机型。
3. 主传动系统采用无段位调速，滚轮、胶槽独立控温。

1. This machine is used for gluing small-area flat materials. The thickness of the glue can be adjusted according to product requirements and materials.
2. The gluing width can be customized according to the width of the product. The conventional machines we produce can be divided into 5 standard models: 200mm, 300mm, 400mm, 600mm, and 1000mm.
3. The main transmission system adopts stepless speed regulation, and the roller and glue tank are independently temperature controlled.



电压 Voltage	功率 Power	滚轮宽度 Rubber width	整机重量 Net weight	整机尺寸 Dimension
220V	1.7KW	300MM	83KG	56*45*97CM

JN-311/312

MINI TYPEHOT PRESSING MACHINE 小型热压机

产品功能特点:

1. 本机采用压缩空气驱动，下降速度可调。
2. 机械启动方式，脚踏开关设计。
3. 夹紧机气缸配备非旋转双导杆，使工作更精准。此外，气缸输出力可通过调压阀调节。
4. 夹紧机上下模具均具有加热功能，可用于热压、烙印工艺。

1. This machine is driven by compressed air, and the drop speed is adjustable.
2. Mechanical start-up method, foot switch design.
3. The clamping machine cylinder is equipped with non-rotating dual guide rods to make the work more accurate. In addition, the cylinder output force can be adjusted by a pressure regulating valve.
4. Both the upper and lower molds of the clamping machine have heating functions and can be used in hot pressing and branding processes.



电压 Voltage	功率 Power	气压 Air pressure	整机重量 Net weight	整机尺寸 Dimension
220V	250W	0.6Mpa	25KG	25*29*42CM


JN-315

VAMP PRESSING MACHINE 鞋头热压机

产品功能特点:

1. 本机采用压缩空气驱动，下降速度可调。
2. 机械启动方式，脚踏开关设计。
3. 夹紧机气缸配备非旋转双导杆，使工作更精准。此外，气缸输出力可通过调压阀调节。
4. 夹紧机上下模具均具有加热功能，可用于鞋面热压、烙印工艺。

1. This machine is driven by compressed air, and the drop speed is adjustable.
2. Mechanical start-up method, foot switch design.
3. The clamping machine cylinder is equipped with non-rotating dual guide rods to make the work more accurate. In addition, the cylinder output force can be adjusted by a pressure regulating valve.
4. Both the upper and lower molds of the clamping machine have heating functions and can be used in shoes upper hot pressing and branding processes.



电压 Voltage	功率 Power	气压 Air pressure	整机重量 Net weight	整机尺寸 Dimension
220V	300W	0.6Mpa	20KG	30*37*54CM

JN-240

VAMP HAMMERING MACHINE 鞋口锤平机（静音款）



Machine control panel
机器控制面板



Beating device
捶打装置



Pressure regulating valve
压力调节阀



Foot control
脚踏开关

产品功能特点：

1. 本机适合鞋，皮具箱包类锤平除皱，操作简单，效果美观。
2. 采用温控加热设计，性能稳定，使用周期长，噪音低等特点。
3. 采用手动调节压力设置，调节简单方便。

1. This machine is suitable for flattening and removing wrinkles on shoes, leather goods and bags. It is simple to operate and has beautiful results.
2. It adopts temperature-controlled heating design, with stable performance and long service life, low noise, etc.
3. Manually adjust the pressure setting, which is simple and convenient to adjust.



电压 Voltage	功率 Power	转速 Speed (s.p.m)	整机重量 Net weight	整机尺寸 Dimension
220V/380V	250W/1.8KW	1450	90KG	54*45*125CM

JN-324

PNEUMATIC PUNCHING MACHINE 气压冲孔机



Stamping device
冲压装置



Air cylinder
气缸



Garbage collection box
垃圾收集箱



Foot control
脚踏开关

产品功能特点：

1. 采用气动工作，无需用电，节约成本。
2. 安全且易于操作，即使没有经验的工人也可以操作。
3. 高品质零部件确保机器长寿命，易于清理，最大限度地减少损坏。
4. 用于防水布、服装、鞋、皮带、箱包等打孔眼或索环。

1. Using pneumatic operation, no electricity is needed, saving costs.
2. Safe and easy to operate, even an inexperienced worker can operate.
3. High quality parts ensure long life of the machine, Easy to clean up, minimize the damage.
4. Used for punching holes in tarpaulin, garments, shoes, belt, bags, etc.



气压 Air pressure	冲孔次数 Punching times	整机重量 Net weight	整机尺寸 Dimension
5-8KG	150次 (times)/分钟 (min)	35KG	55*51*140CM

JN-870

SMALL PRECISION SCREEN PRINTING MACHINE 小型精密丝印机

产品功能特点:

1. 自动印刷，快速定位，只需放料，就可以进行印刷，效率高，4S/次。对材料的形状无要求，操作简单，使用范围广。
2. 适用范围广，鞋类、皮革制品、服装、箱包等行业印刷。

1. Automatic printing, fast positioning, just put the material, you can start printing, fast efficiency, 4S/time. No requirements for the shape of the material, simple operation, wide range of use.
2. Wide range of applications, printing in industries such as shoes, leather products, clothing, bags, etc.



电压 Voltage	功率 Power	印刷面积 Printing thickres	气压 Air pressure	整机重量 Net weight	整机尺寸 Dimension
220V	200W	200*200MM	0.5-0.6Kpa	30KG	82*37*87CM

JN-875

SMALL AUTOMATIC LABEL TRANSFER MACHINE 小型自动标签转印机

产品功能特点:

1. 本机全部采用进口电气元件和气动配件，控制系统采用PLC和触摸屏；温度控制系统采用PID温度模块和触摸屏连接，无需再安装其他的温度控制器，温度控制精准，温差小。
2. 独特的防误烫功能，在没有材料的情况下，模具会自动停止压烫。
3. 适用范围广，鞋类、皮革制品、服装、箱包等行业商标热压。

1. This machine uses all imported electrical components and pneumatic accessories, and the control system uses PLC and touch screen; the temperature control system uses PID temperature module and touch screen connection, no need to install other temperature controllers, precise temperature control, small temperature difference.
2. Unique anti-mis-scalding function, the mold will automatically stop pressing when there is no material.
3. Wide range of applications, such as hot pressing of trademarks in industries such as footwear, leather products, clothing, and luggage.



电压 Voltage	功率 Power	电流 AMPS	整机重量 Net weight	整机尺寸 Dimension
220V	1HP	2A	45KG	63*56*70CM

JN-895

STAMPING MACHINE 烫金机

产品功能特点:

1. 本机全部采用进口电气元件和气动配件，温度控制精准，温差小。
2. 独特的防误烫功能，在没有材料的情况下，模具会自动停止压烫。
3. 适用范围广，鞋类、皮革制品、箱包等行业的压痕烫金。

1. This machine uses all imported electrical components and pneumatic accessories, with precise temperature control and small temperature difference.
2. Unique anti-mis-scalding function, the mold will automatically stop pressing when there is no material.
3. Wide range of applications, such as embossing and hot stamping in industries such as footwear, leather products, and bags.



电压 Voltage	功率 Power	工作面积 Working size	整机重量 Net weight	整机尺寸 Dimension
220V	500W	90*80MM	30KG	41*40*57CM

JN-819C

HEAVY DUTY COMPUTER COLD/HOT CUTTING MACHINE 重型立式电脑冷/热切带机

产品功能特点:

1. 采用全触摸屏，简单方便，每分钟能切断80-100片（以100MM为例），只需要设定需要切断的长度和数量，其余工作自动完成。
2. 每一次切断都由步进电机控制，以保证每次裁剪的高精度，热刀可对彩色丝带，轻薄纺织带的切断面进行高温热封，且切口平整无毛边，针对厚料使用热切封边效果更好。
3. 适用于手袋、箱包、织带、魔术贴、尼龙带等材料的裁切。

1. It uses a full touch screen, which is simple and convenient. It can cut 80-100 pieces per minute (taking 100MM as an example). You only need to set the length and quantity to be cut, and the rest of the work will be completed automatically.
2. Each cut is controlled by a stepper motor to ensure the high precision of each cut. The hot knife can heat-seal the cut surface of colored ribbons and thin textile ribbons at high temperature, and the cut is smooth and has no burrs. For thick materials, hot cutting and edge sealing have better effects.
3. It is suitable for cutting materials such as handbags, luggage, webbing, Velcro, nylon belts, etc.



电压 Voltage	功率 Power	裁切宽度 Cutting width	整机重量 Net weight	整机尺寸 Dimension
220V	900W	1-150MM	120KG	75*65*123CM

JN-902R

COMPUTERIZED TAPE HOT&COLD CUTTING MACHINE 冷&热电脑切带机

产品功能特点:

1. 具有冷热两用切割模式，热切封边效果好，防止材料散开，冷切割则切割边缘整齐，适合多种材料的加工。
2. 适用于织带、塑料袋、布等多种材质的切割，广泛应用于服装、包装、电子等行业。

1. It has hot and cold dual-purpose cutting modes. Hot cutting has good edge sealing effect and prevents the material from spreading. Cold cutting has neat cutting edges and is suitable for processing a variety of materials.
2. It is suitable for cutting a variety of materials such as webbing, plastic bags, cloth, etc., and is widely used in clothing, packaging, electronics and other industries.



电压 Voltage	功率 Power	裁切宽度 Cutting width	整机重量 Net weight	整机尺寸 Dimension
220V	440W	1-95MM	20KG	56*42*40CM

未完待续.....
UPDATING.....

[illegible]

[illegible]



细节决定成败，理念铸就未来

Details determine the success or failure

The ideas shape the future

中国公司：东莞市精能机械科技有限公司

地址：东莞市厚街镇环莞快速路346号

China Company: Dongguan Jingneng Machinery Technology Co.,Ltd

ADD: No. 346, Huanguan Expressway, Houjie Town, Dongguan City, Guangdong Province, China

Tel: 0769-85918355

香港公司：东莞市精能机械科技有限公司

地址：香港九龍尖沙咀漆咸道南 17-19 號帝后廣場 16 樓 1601 室

Hongkong ADD: Room 1601, 16/F, Empress Plaza, 17-19 Chatham Road, Tsim Sha Tsui, Kowloon

越南公司：ISM 机械科技有限公司

地址：平阳省、顺安市、安富坊、第四区、新加坡1 住宅区 2、D11号路 C8号

Vietnam Company: ISM MTV CO.,LTD

ADD: SO C8, DUONG D11, LANG CHUYEN GIA THE OASIS II, KHU DAN CU VIET SING, KHU PHO 4, PHUONG AN PHU, THANH PHO THUAN AN, TINH BINH DUONG, VIET NAM

Tel: 0399246830

印度新德里：艾博鞋机有限公司

地址：斯瓦恩，蒙得卡工业园，新德里

India Company: ABLE SHOE MACHINERY PVT LTD

New Delhi ADD: KH. NO. 561/2, SWARN PARK, UDHAYOG NAGAR, VILLAGEMUNDKA, Delhi, 110041.

Phone: 9818690626

印度金奈：泰米儿邦，坎齐普朗，钦莱岩 察特然，阿提瓦康路，阿西霍克公园 144号

Chennai ADD: ASOKA GARDEN, NO 144, MUMMAL PATTU, ATHIVAKKAM ROAD, CHINNAIYAN CHATRAMKANCHIPURAM, TAMILNADU -631561

印尼地址：Jl. Tohiti blok kleben desa/kelurahantegal wanggi, kec. Weru kab.

Cirebonprovinsi Jawa Barat 45154

Tel: 085718493497

孟加拉地址：孟加拉，乌托拉10区，13街道

Bangladesh Add: Road #13, Sec#10 Uttara, Dhaka, Bangladesh

2025.05